

NEXEN **NEXEN TIRE**
we got you



2022
NEXEN TIRE CANADA
PRODUCT GUIDE



8 DECADES OF PASSION-FUELED INNOVATION
And continuing to carve out our legacy...with you.





"As a company that has the ability to impress customers with the best quality, we will become something that you can have utmost pride in. We will emerge as the NEXEN TIRE that makes you elated with new products and breakthroughs in technology development. We will move forward to becoming a global leader, looking ahead to the next century. And beyond history, and beyond passion, in the name of trust, we will stand by you as you advance into the future."

Travis Kang – CEO, Nexen Tire

NO RECALLS EVER

Best quality assurance in the business. Since 2000, Nexen Tire has produced over

**550,000,000
(OVER 1/2 BILLION)**

tires with absolutely ZERO recalls.



NEW

NFERA Supreme
PC / SUV

BUILT FOR THE JOURNEY AHEAD


A NEXT LEVEL, PREMIUM COMFORT UHP & GRAND TOURING,
ALL SEASON TIRE

UPGRADE YOUR DRIVING EXPERIENCE

Enjoy a smooth ride, all year long. The upgraded Nexen NFera Supreme combines the look of a performance tire with the comfortable, quiet ride of a passenger tire. Branded with the M+S symbol, this tire provides year-round traction, even in light snow. And with its long tread life, the NFera Supreme can handle some serious mileage. Try the tire that looks great and performs even better.

WE GOT YOU COVERED

Over 95% sizes coverage of North America
TOP 50 OEM



95%

FOR THE LONG HAUL.

Long commutes never looked so good. NFera Supreme is a high-mileage tire that lasts, all while offering superior comfort and performance.

ALL SEASON EXCELLENCE

Weather changes fast, but the Nexen NFera Supreme is ready. The M+S symbol on each tire means you can count on year-round traction, even in light snow.

RIM PROTECTION AT EVERY SIZE

Prevent damage and keep those wheels looking fresh. Every size of NFera Supreme tires comes with rim protector bars.

81 SIZES
AVAILABLE

115k MILEAGE WARRANTY
H,V Rated

16"-22" RIM SIZE RANGE

90K Mileage Warranty for W Rated



3PMSF
Certified

3PMSF Certified
is a severe winter
certification to
withstand heavy
snow, ice, and
tough terrain.

THE ALL NEW

ROADIAN HTX2

HIGHWAY TERRAIN

ALL PERFORMANCE IN ALL WEATHER



LONG MILEAGE PERFORMANCE
DESIGNED INTO EVERY FEATURE.




HIGH-SPEED CONTROL

Cooling pins applied to shoulder of the tire to efficiently dissipate heat for increased durability under high speeds.



INCREDIBLE DURABILITY

Nexen's proven bead design and construction consists of an optimized Profile Bead Filler and Stiffer Rim Flange for increased overall rigidity and tire durability.



New Roadian HTX2



Conventional

REINFORCED SNOW TRACTION

Emerging 3D Sipes improve traction in snowy conditions. Changing Sipe technology as tire wears provides increased tread contact and overall handling characteristics.

THEY LOOK AS GOOD AS THEY PERFORM.

The Roadian HTX2 is available in 2 Sidewall Design options to complement your vehicle and White Lettering in limited sizes.





**3PMSF
CERTIFIED***

as a severe winter certification to withstand heavy snow, ice, and tough terrain.


*Except flotation sizes.

THE ALL NEW

ROADIAN ATX

ALL TERRAIN

**PUSHING ALL-TERRAIN
PERFORMANCE TO A NEW LEVEL**




REINFORCED 3-PLY CONSTRUCTION

Nexen's 3-ply sidewall produces an industry-best AT tire with longer life and increased durability that performs under heavier loads and higher pressures. The increased sidewall rigidity enhances stability while cornering under loads and heavy towing.

ENHANCED DURABILITY AND PERFORMANCE

The sidewall design increases puncture resistance both on road and off. Durability is also improved thanks to an aggressive angled pattern.



REINFORCED SNOW TRACTION

Emerging 3D sipes improve traction in snow, mud, and wet conditions. Nexen's changing sipe technology increases tread-to-road contact and overall handling characteristics as the tire wears.

PICK THE SIDEWALL THAT FITS YOU BEST.

The Roadian ATX is available in two dynamic sidewall design options to compliment your vehicle and attitude. The dual sidewall design is more aggressive than the AT Pro predecessor without sacrificing a quiet ride.



we got you

Wheels under control for severe winter condition




THE ALL NEW
WINGUARD *winSpike3*
Studdable Winter for Sedan, SUV and LT

Improved Wet & Ice Braking

Improved Tire Constructions on Tire Edge and Tread Groove


Stretched tire edge increases contact area and improves braking performance. Also, extended tread depth tightly holds snow for better acceleration and expels more water and snow.



Improved Ice Acceleration

Newly Developed Stud Pin

New stud pins penetrate 140~150% more than conventional stud which accelerate faster on ice surface. Optimized stud pin arrangement by analyzing a studding pattern allows even grip force on every moment.



Optimized stud pin arrangement allows even grip on every moment

Increased depths of the stud pin on ice surface

* Stud pin Information


(P) Metric: T.S.M.I #12

L Recommend: TURVANASTA 8-11/2 NXA Stud pin to maximize ice traction

(LT) Metric: T.S.M.I #15



Improved Snow & Ice Handling

3D Kerf Unique NEXEN 3D Kerf technology increases contact surface on road and improves snow performance.



Controlling block distortions with 3D Kerfs during vehicle movement

"Star Twister" Design Star shape design around a stud pin disperses ice powders effectively.



ULTRA HIGH PERFORMANCE (SUMMER)

N FERA SUR4g

EXTREME ULTRA HIGH PERFORMANCE

Built to perform under the most aggressive driving conditions, this extreme UHP tire is at the top of the class in braking and handling performance. Ideal use is for street sport applications.



OE FITMENT



SIZES AVAILABLE: 20
SIZE RANGE: 15" - 20"
MILEAGE WARRANTY: N/A
ROAD HAZARD: N/A
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: W & Y

18

N FERA SU1

ULTRA HIGH PERFORMANCE SUMMER

Perfect fit for sports car applications or for the driver who wants a little more performance out of their standard vehicle. Excels at braking and cornering performance.



SIZES AVAILABLE: 53
SIZE RANGE: 17" - 24"
MILEAGE WARRANTY: 40,000 Km
ROAD HAZARD: FIRST 3/32" OR 2 YEARS
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: W & Y

19

ULTRA HIGH PERFORMANCE + TOURING HP (ALL SEASON)

NEW N FERA Supreme

ULTRA HIGH PERFORMANCE + TOURING HP ALL SEASON

Combines the look of a performance tire with the comfortable, quiet ride of a passenger tire. Branded with the M+S symbol, this tire provides year-round traction, even in light snow.



SIZES AVAILABLE: 81
SIZE RANGE: 16" - 22"
MILEAGE WARRANTY: 115,000 Km (H & V)
90,000 Km (W)
ROAD HAZARD: FIRST 3/32" OR 2 YEARS
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: H, V & W

21

N FERA AUT

ULTRA HIGH PERFORMANCE ALL SEASON

Designed for the discretionary driver of sports cars, luxury coupes, and performance sedans looking for superior traction in dry and wet conditions.



OE FITMENT



SIZES AVAILABLE: 9
SIZE RANGE: 16" - 20"
MILEAGE WARRANTY: 80,000 Km
ROAD HAZARD: FIRST 3/32" OR 2 YEARS
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: H, T, W & Y

24

TOURING HP (ALL SEASON & ALL WEATHER)

N Priz AH5

STANDARD TOURING ALL SEASON

The perfect tire for entry-level sedans and coupes. This tire offers a great balance of performance, handling, comfort, and wear life at a value price.



SIZES AVAILABLE: 44
SIZE RANGE: 14" - 17"
MILEAGE WARRANTY: 80,000 Km
ROAD HAZARD: FIRST 3/32" OR 2 YEARS
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: H, S & T

25

N Priz AH8

GRAND TOURING ALL SEASON

OE FITMENT



Designed for family sedans that depend on safety year-round. Ride confidently with excellent traction in dry, wet, and light snow conditions.



SIZES AVAILABLE: 22
SIZE RANGE: 15" - 18"
MILEAGE WARRANTY: 115,000 Km
ROAD HAZARD: FIRST 3/32" OR 2 YEARS
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: H, T, V & W

27

Aria AH7

PREMIUM GRAND TOURING ALL SEASON

A long-lasting, premium all-season tire, which offers one of the longest mileage warranties in its class.



SIZES AVAILABLE: 24
SIZE RANGE: 15" - 18"
MILEAGE WARRANTY: 125,000 Km
ROAD HAZARD: FIRST 3/32" OR 2 YEARS
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: H & T

28

N blue 4Season

ALL-WEATHER



3 Peak
Mountain
Snowflake
Certified

The N blue 4Season is the Nexen's Touring All-Weather tire developed for the drivers of sedans who want a refined tire that combines superior comfort, traction in dry and wet road conditions, plus light snow traction, and offers better ice and snow performance than a general all season tire.



SIZES AVAILABLE: 39
SIZE RANGE: 13" - 18"
MILEAGE WARRANTY: 60,000 Km
ROAD HAZARD: FIRST 3/32" OR 2 YEARS
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: H, T, V & W

29

CUV / SUV / LIGHT TRUCK (ALL SEASON & ALL WEATHER)

THE ALL NEW

ROADIAN HTX2

HIGHWAY TERRAIN



3 Peak
Mountain
Snowflake
Certified

This is the new Nexen Roadian HTX2, the result of a long-inspired journey to create a high-mileage SUV and Light Truck tire that also delivers outstanding all-weather driving performance.

SIZES AVAILABLE: 51
SIZE RANGE: 16" - 20"
MILEAGE WARRANTY: 115,000 Km (P)
80,000 Km (LT)

ROAD HAZARD: FIRST 3/32" OR 2 YEARS
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: H, R, S & T

LT225/75R16, 235/65R16C - No mileage & Road hazard warranty



31

THE ALL NEW

ROADIAN ATX

ALL TERRAIN



3 Peak
Mountain
Snowflake
Certified

The new Roadian ATX features excellent construction and material advancements that grip wet or dry.

SIZES AVAILABLE: 63
SIZE RANGE: 15" - 22"
MILEAGE WARRANTY: 105,000 Km (P)
95,000 Km (LT)

ROAD HAZARD: FIRST 3/32" OR 2 YEARS
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: H, S & T



33

ROADIAN GTX

OE FITMENT



CUV/SUV TOURING

Drivers can count on versatility and dependability of the New Roadian GTX, from cross-country road trips to trips to the store.



SIZES AVAILABLE: 49
SIZE RANGE: 15" - 22"
MILEAGE WARRANTY: 115,000 Km
ROAD HAZARD: FIRST 3/32" OR 2 YEARS
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: H, T, V & W

35

ROADIAN AT PRO RA8

OE FITMENT



ALL TERRAIN

An aggressive tread pattern that conquers any terrain thrown its way.



SIZES AVAILABLE: 64
SIZE RANGE: 16" - 22"
MILEAGE WARRANTY: 80,000 Km (P)
60,000 Km (LT)
ROAD HAZARD: FIRST 3/32" OR 2 YEARS
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: H, S & T

37

ROADIAN MTX

OE FITMENT



MUD TERRAIN

The Roadian MTX features an aggressive design that is extremely versatile for on- and off-road driving. Each tire boasts a dual sidewall design that allows you to customize the look of the tire on your vehicle.



SIZES AVAILABLE: 35
SIZE RANGE: 16" - 22"
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: Q

39

ROADIAN CT8 HL

OE FITMENT



COMMERCIAL VAN/LT

A tire constructed to deliver heavy-duty performance for commercial vehicles.



SIZES AVAILABLE: 13
SIZE RANGE: 16" - 18"
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: R, S & T

41

WINTER (STUDDABLE)

THE ALL NEW **WINGUARD** *winSpike3*

STUDDABLE WINTER

The Winguard Winspike 3 tires are molded to allow for stud installation that provides better traction on ice and snow. It was developed for the drivers of sedans, crossovers, and SUVs looking for sure-footed performance and traditional wintertime traction on dry, wet, and snow-covered roads.

SIZES AVAILABLE: 87
SIZE RANGE: 13"- 20"
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: R & T



42

WINTER (STUDDLESS)

WINGUARD *sport2*

PERFORMANCE STUDDLESS WINTER

Winter driving and long mileage performance are raised to the next level with the Winguard Sport 2. Its high-density multi-sipe elevated grip for braking on icy and snowy roads, simultaneously increasing longevity. Snowy or dry traction and cornering are improved with the directional tread. Large wide grooves effectively drain water for anti-hydroplaning performance.



45

WINGUARD *ice Plus*

STUDDLESS NORDIC WINTER

Winguard Ice Plus has a dual V shape that enhances grip and braking. There are four grooves and two small semi grooves that drain snow, slush, and water. The Winguard Ice Plus shoulder stiffness enhances durability and its 3D block prevents abnormal wear.



48

WINGUARD *WT1*

STUDDLESS WINTER FOR COMMERCIAL VAN

The Winguard WT1 is Light Truck Studless Ice & Snow winter tire developed for the drivers of commercial delivery van vehicles looking for enhanced grip in slush, snow and on ice. Designed with a focus on snow and ice traction as well as dry & wet handling performance.



SIZES AVAILABLE: 4
SIZE RANGE: 15" - 16"
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: R

EURO WIN

STUDDLESS WINTER FOR COMMERCIAL VAN

The EuroWin is Nexen's Light Truck/SUV Studless Ice & Snow tire developed for the Nissan NV200 and Chevy City Express to transport heavy loads.



SIZES AVAILABLE: 1
SIZE RANGE: 15"
ROADSIDE ASSISTANCE: 36 MONTHS
SPEED RATING: T

50

51

ULTRA HIGH PERFORMANCE (SUMMER)

N'FERA SUR4G 18

N'FERA SU1 19

ULTRA HIGH PERFORMANCE + TOURING HP (ALL SEASON)

NEW N'FERA SUPREME 21

N'FERA AU7 24

TOURING HP (ALL SEASON & ALL WEATHER)

N'PRIZ AH5 25

N'PRIZ AH8 27

ARIA AH7 28

N'BLUE 4 SEASON 29

CUV / SUV / LIGHT TRUCK (ALL SEASON & ALL WEATHER)

NEW ROADIAN HTX 2 31

NEW ROADIAN ATX 33

ROADIAN GTX 35

ROADIAN AT PRO RA8 37

ROADIAN MTX 39

ROADIAN CT8 HL 41

WINTER (STUDDABLE)

NEW WINGUARD WINSPIKE 3 42

WINTER (STUDDLESS)

WINGUARD SPORT 2 45

WINGUARD ICE PLUS 48

WINGUARD WT1 50

EUROWIN 51

ORIGINAL EQUIPMENT

TREAD PATTERNS FOR OE FITMENT 52

ORIGINAL EQUIPMENT 2022 53

WARRANTY

NEXEN TOTAL COVERAGE WARRANTY 55

N'FERA SUR4G**EXTREME ULTRA HIGH PERFORMANCE**

The N'Fera SUR4G is built to perform under the most aggressive driving conditions. This extreme UHP tire is at the top of the class in braking and handling performance. Ideal use is for street sport applications.

TOTAL COVERAGE WARRANTY
NEXEN TIRE

TREAD WEAR WARRANTY

N/A



ROAD HAZARD WARRANTY

N/A



ROADSIDE ASSISTANCE

36 MONTHS

OE FITMENT ON DODGE

Code	P/LT	Size	XL	L.I.	S.S.	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth (/32")	Side wall	OE
15717		225/45ZR15		87	W	4	51	1,201	-	7.5	7.0-8.5	8.9	23.0	9.0	BSW	
16670		205/55ZR16		91	W	4	51	1,356	-	6.5	5.5-7.5	8.4	24.9	7.5	BSW	
15719		225/50ZR16		92	W	4	51	1,389	-	7.0	6.0-8.0	9.2	24.9	9.0	BSW	
15720		215/45ZR17		87	Y	4	51	1,201	-	7.0	7.0-8.0	8.4	24.6	7.5	BSW	
15721		225/45ZR17		91	Y	4	51	1,356	-	7.5	7.0-8.5	8.9	25.0	7.5	BSW	
15722		235/45ZR17		94	Y	4	51	1,477	-	8.0	7.5-9.0	9.3	25.4	9.0	BSW	
15723		245/40ZR17		91	Y	4	51	1,356	-	8.5	8.0-9.5	9.8	24.7	9.0	BSW	
15724		255/40ZR17		94	Y	4	51	1,477	-	9.0	8.5-10.0	10.2	25.0	9.0	BSW	
15725		225/40ZR18		88	Y	4	51	1,235	-	8.0	7.5-9.0	9.1	25.1	9.0	BSW	
15726		225/45ZR18		91	Y	4	51	1,356	-	7.5	7.0-8.5	8.9	25.9	9.0	BSW	
15727		235/40ZR18		91	Y	4	51	1,356	-	8.5	8.0-9.5	9.5	25.4	7.5	BSW	
15728		245/40ZR18		93	Y	4	51	1,433	-	8.5	8.0-9.5	9.8	25.7	7.5	BSW	
15729		255/35ZR18		90	Y	4	51	1,323	-	9.0	8.5-10.0	10.2	25.0	9.0	BSW	
15736		265/35ZR18		93	Y	4	51	1,433	-	9.5	9.0-10.5	10.7	25.3	7.5	BSW	
15730		275/35ZR18		95	Y	4	51	1,521	-	9.5	9.0-11.0	10.9	25.6	9.0	BSW	
15731		225/40ZR19		89	Y	4	51	1,279	-	8.0	7.5-9.0	9.1	26.1	7.5	BSW	
15732		235/35ZR19		87	Y	4	51	1,201	-	8.5	8.0-9.5	9.5	25.5	7.5	BSW	
15733		245/40ZR19		94	Y	4	51	1,477	-	8.5	8.0-9.5	9.8	26.7	7.5	BSW	
15734		275/35ZR19		96	Y	4	51	1,565	-	9.5	9.0-11.0	10.9	26.6	9.0	BSW	
+17387		275/40R20		102	Y	4	51	1,874	-	9.5	9.0-11.0	10.9	28.7	6.5	BSW Dodge	

Please be advised that extreme ultra high performance tires, although approved for street use, are targeted for track and competition driving. The tires should not be used on wet roads or in cold temperatures, due to the special tread compound and design. In order to assure safety and performance, please see "Tire Care & Maintenance" section in NEXEN TOTAL COVERAGE WARRANTY for important details on usage and storage.



Technical data can be changed without further notice.
For more detailed OE application information,
please refer to "Original Equipment 2022" page.
+ Symmetric Tread Design

PERFORMANCE RATINGS**N'FERA SU1****ULTRA HIGH PERFORMANCE SUMMER**

The N'Fera SU1 has three main grooves and a semi-groove to maximize wet driving performance and enhance handling. The dry grip technology boosts handling and braking performance, while an optimum surface split siping design improves wet/dry traction performance. An equally balanced design and enhanced block rigidity disperse stress evenly during high-speed cornering, boosting cornering and steering stability.

**TOTAL COVERAGE WARRANTY**
NEXEN TIRE

TREAD WEAR WARRANTY

40,000 Km



ROAD HAZARD WARRANTY

FIRST 3/32" OR 2 YEARS



ROADSIDE ASSISTANCE

36 MONTHS

Code	P/LT	Size	XL	L.I.	S.S.	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth (/32")	Side wall
12300		225/45ZR17	XL	94	Y	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	9.5	BSW
12722		245/40ZR17	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.8	24.7	9.5	BSW
14112		275/40ZR17		98	W	4	51	1,653	-	9.5	9.0-11.0	10.9	25.7	9.5	BSW
12350		215/40ZR18	XL	89	Y	4	50	1,279	-	7.5	7.0-8.5	8.6	24.8	9.5	BSW
14096		215/45ZR18	XL	93	W	4	50	1,433	-	7.0	7.0-8.0	8.4	25.6	9.0	BSW
11782		225/40ZR18	XL	92	Y	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	9.5	BSW
12332		225/45ZR18	XL	95	Y	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	9.5	BSW
12302		235/40ZR18	XL	95	Y	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	9.5	BSW
12335		235/45ZR18	XL	98	Y	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	9.0	BSW
12719		235/50ZR18	XL	101	W	4	50	1,819	-	7.5	6.5-8.5	9.6	27.3	9.0	BSW
12721		235/55ZR18	XL	104	W	4	50	1,984	-	7.5	6.5-8.5	9.6	28.1	9.0	BSW
12345		245/35ZR18	XL	92	Y	4	50	1,389	-	8.5	8.0-9.5	9.8	24.8	9.5	BSW
12312		245/40ZR18	XL	97	Y	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	9.5	BSW
12726		245/45ZR18	XL	100	Y	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	9.5	BSW
12344		245/50ZR18	XL	104	W	4	50	1,984	-	7.5	7.0-8.5	10.0	27.7	9.0	BSW
12347		255/35ZR18	XL	94	Y	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	9.5	
12592		255/40ZR18	XL	99	Y	4	50	1,709	-	9.0	8.5-10.0	10.2	26.0	9.5	BSW
12734		255/45ZR18	XL	103	Y	4	50	1,929	-	8.5	8.0-9.5	10.0			

NFERA SU1

Code	P/ LT	Size	XL	L.I.	S.S.	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$ "")	Side wall
12331		225/35ZR19	XL	88	Y	4	50	1,235	-	8.0	7.5-9.0	9.1	25.2	9.5	BSW
14121		225/40ZR19	XL	93	Y	4	50	1,433	-	8.0	7.5-9.0	9.1	26.1	9.5	BSW
14099		225/45ZR19	XL	96	W	4	50	1,565	-	7.5	7.0-8.5	8.9	27.0	9.5	BSW
12315		235/35ZR19	XL	91	Y	4	50	1,356	-	8.5	8.0-9.5	9.5	25.5	9.5	BSW
13052		235/55ZR19	XL	105	W	4	50	2,039	-	7.5	6.5-8.5	9.6	29.2	9.0	BSW
13514		245/35ZR19	XL	93	Y	4	50	1,433	-	8.5	8.0-9.5	9.8	25.8	9.5	BSW
12723		245/40ZR19	XL	98	Y	4	50	1,653	-	8.5	8.0-9.5	9.8	26.7	9.5	BSW
12584		245/45ZR19	XL	102	Y	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	9.5	BSW
14108		255/30ZR19	XL	91	Y	4	50	1,356	-	9.0	8.5-9.5	10.2	25.1	9.5	BSW
12338		255/35ZR19	XL	96	W	4	50	1,565	-	9.0	8.5-10.0	10.2	26.0	9.5	BSW
13519		255/40ZR19	XL	100	Y	4	50	1,764	-	9.0	8.5-10.0	10.2	27.0	9.5	BSW
13524		255/45ZR19	XL	104	Y	4	50	1,984	-	8.5	8.0-9.5	10.0	28.1	9.5	BSW
+13512		265/30ZR19	XL	93	Y	4	50	1,433	-	9.5	9.0-10.0	10.7	25.3	9.5	BSW
+12717		275/30ZR19	XL	96	Y	4	50	1,565	-	9.5	9.0-10.0	10.9	25.6	9.5	BSW
+13518		275/35ZR19	XL	100	Y	4	50	1,764	-	9.5	9.0-11.0	10.9	26.6	9.5	BSW
+13520		275/40ZR19	XL	105	Y	4	50	2,039	-	9.5	9.0-11.0	10.9	27.7	9.5	BSW
14639		225/30ZR20	XL	85	Y	4	50	1,135	-	8.0	8	9.1	25.4	9.0	BSW
14101		225/35ZR20	XL	90	Y	4	50	1,323	-	8.0	7.5-9.0	9.1	26.2	9.5	BSW
14758		235/30ZR20	XL	88	Y	4	50	1,235	-	8.5	8.5	9.5	25.6	10.0	BSW
13511		245/30ZR20	XL	90	Y	4	50	1,323	-	8.5	8.0-8.5	9.8	25.8	9.5	BSW
13515		245/35ZR20	XL	95	Y	4	50	1,521	-	8.5	8.0-9.5	9.8	26.8	9.5	BSW
14106		245/40ZR20	XL	99	Y	4	50	1,709	-	8.5	8.0-9.5	9.8	27.7	9.5	BSW
15090		245/45ZR20	XL	103	Y	4	50	1,929	-	8.0	7.5-9.0	9.6	28.7	9.0	BSW
14110		255/35ZR20	XL	97	Y	4	50	1,609	-	9.0	8.5-10.0	10.2	27.0	9.5	BSW
+12716		275/30ZR20	XL	97	Y	4	50	1,609	-	9.5	9.0-10.0	10.9	26.5	9.5	BSW
+14113		275/35ZR20	XL	102	Y	4	50	1,874	-	9.5	9.0-11.0	10.9	27.6	9.5	BSW
+14114		275/40ZR20	XL	106	Y	4	50	2,094	-	9.5	9.0-11.0	10.9	28.7	9.0	BSW
+13513		285/30ZR20	XL	99	Y	4	50	1,709	-	10.0	9.5-10.5	11.4	26.8	9.5	BSW
+14648		265/30ZR22	XL	97	Y	4	50	1,609	-	9.5	9.0-10.0	10.7	28.3	9.0	BSW
+14646		295/25ZR22	XL	97	Y	4	50	1,609	-	10.5	10.0-11.0	11.9	27.8	9.0	BSW
14756		255/30ZR24	XL	97	Y	4	50	1,609	-	9.0	8.5-9.5	10.2	30.1	10.0	BSW
+14755		275/30ZR24	XL	101	Y	4	50	1,819	-	9.5	9.0-10.0	10.9	30.6	10.0	BSW

Technical data can be changed without further notice.
+ Different Tread design [For 265(width) & wider]



NEW

NFERA Supreme

PC / SUV

ULTRA HIGH PERFORMANCE + TOURING HP ALL SEASON

Enjoy a smooth ride, all year long.

The upgraded Nexen Nfera Supreme combines the look of a performance tire with the comfortable, quiet ride of a passenger tire. Branded with the M+S symbol, this tire provides year-round traction, even in light snow. And with its long tread life, the Nexen Nfera Supreme can handle some serious mileage.

Try the tire that looks great and performs even better.

TOTAL COVERAGE WARRANTY

NEXEN TIRE

TREAD WEAR WARRANTY
ROAD HAZARD WARRANTY
ROADSIDE ASSISTANCE
115,000 Km (H & V)
90,000 Km (W)
FIRST 3/32" OR
2 YEARS
36 MONTHS

Code	P/ LT	Size	XL	L.I.	S.S.	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$ "")	Side wall
18279		195/50R16		84	V	4	51	1,102	-	6.0	5.5-7.0	7.9	23.7	9.5	BSW
18251		205/55R16		91	V	4	51	1,356	-	6.5	5.5-7.5	8.4	24.9	9.5	BSW
18579		205/60R16	XL	96	V	4	50	1,565	-	6.0	5.5-7.5	8.2	25.7	9.5	BSW
18580		205/65R16		95	V	4	51	1,521	-	6.0	5.5-7.5	8.2	26.5	9.5	BSW
18274		215/55R16	XL	97	H	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	9.5	BSW
18577		215/60R16		95	V	4	51	1,521	-	6.5	6.0-7.5	8.7	26.1	9.5	BSW
18576		225/55ZR16	XL	99	W	4	50	1,709	-	7.0	6.0-8.0	9.2	25.7	9.5	BSW
18584		225/60R16		98	V	4	51	1,653	-	6.5	6.0-8.0	9.0	26.6	9.5	BSW
18578		205/45ZR17	XL	88	W	4	50	1,235	-	7.0	6.5-7.5	8.1	24.3	9.5	BSW
18281		205/50R17	XL	93	V	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	9.5	BSW
18280		215/45ZR17		87	W	4	51	1,201	-	7.0	7.0-8.0	8.4	24.6	9.5	BSW
18286		215/50ZR17	XL	95	W	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	9.5	BSW
18284		215/55R17		94	V	4	51	1,477	-	7.0	6.0-7.5	8.9	26.3	10.0	BSW

N FERA Supreme

Code	P/ LT	Size	XL	L.I.	S.S	PLY	Max. Air	Max. Load(\$)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth (/32")	Side wall
18235		235/60R17	102	H	4	51	1,874	-	7.0	6.5-8.5	9.4	28.1	10.0	BSW	
18231		235/65R17	104	H	4	51	1,984	-	7.0	6.5-8.5	9.4	29.1	10.0	BSW	
18220		245/40ZR17	91	W	4	51	1,356	-	8.5	8.0-9.5	9.8	24.7	9.5	BSW	
18256		245/45ZR17	XL	99	W	4	50	1,709	-	8.0	7.5-9.0	9.6	25.7	9.5	BSW
18248		245/65R17	107	H	4	51	2,149	-	7.0	7.0-8.5	9.8	29.5	10.0	BSW	
18285		215/45ZR18	XL	93	W	4	50	1,433	-	7.0	7.0-8.0	8.4	25.6	9.5	BSW
18283		215/55R18	95	H	4	51	1,521	-	7.0	6.0-7.5	8.9	27.3	9.5	BSW	
18293		225/40ZR18	XL	92	W	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	10.0	BSW
18273		225/45ZR18	XL	95	W	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	9.5	BSW
18282		225/50ZR18	XL	99	W	4	50	1,709	-	7.0	6.0-8.0	9.2	26.9	9.5	BSW
18258		225/55R18	98	V	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	10.0	BSW	
18241		225/60R18	XL	104	H	4	50	1,984	-	6.5	6.0-8.0	9.0	28.6	10.0	BSW
18264		235/40ZR18	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	9.5	BSW
18275		235/45ZR18	XL	98	W	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	9.5	BSW
18252		235/50ZR18	97	W	4	51	1,609	-	7.5	6.5-8.5	9.6	27.3	9.5	BSW	
18228		235/55R18	100	V	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	10.0	BSW	
18255		235/60R18	XL	107	V	4	50	2,149	-	7.0	6.5-8.5	9.4	29.1	10.0	BSW
18240		235/65R18	106	V	4	51	2,094	-	7.0	6.5-8.5	9.4	30.0	10.0	BSW	
18269		245/40ZR18	XL	97	W	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	9.5	BSW
18266		245/45ZR18	XL	100	W	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	9.5	BSW
18292		245/50ZR18	100	W	4	51	1,764	-	7.5	7.0-8.5	10.0	27.7	9.5	BSW	
18249		245/60R18	105	V	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	10.0	BSW	
18267		255/35ZR18	XL	94	W	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	9.5	BSW
18224		255/55R18	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	29.0	10.0	BSW
18583		255/60R18	108	V	4	51	2,205	-	7.5	7.0-9.0	10.2	30.0	10.0	BSW	
18244		265/35ZR18	XL	97	W	4	50	1,609	-	9.5	9.0-10.5	10.7	25.3	9.5	BSW
18225		265/60R18	110	V	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	10.0	BSW	
18581		275/40ZR18	XL	103	W	4	50	1,929	-	9.5	9.0-11.0	10.9	26.7	9.5	BSW
18232		225/45ZR19	XL	96	W	4	50	1,565	-	7.5	7.0-8.5	8.9	27.0	9.5	BSW
18242		225/55R19	99	V	4	51	1,709	-	7.0	6.0-8.0	9.2	28.8	10.0	BSW	
18585		235/35ZR19	XL	91	W	4	50	1,356	-	8.5	8.0-9.5	9.5	25.5	9.5	BSW
18271		235/40ZR19	XL	96	W	4	50	1,565	-	8.5	8.0-9.5	9.5	26.4	9.5	BSW
18277		235/45ZR19	XL	99	W	4	50	1,709	-	8.0	7.5-9.0	9.3	27.4	9.5	BSW
18243		235/50R19	XL	103	V	4	50	1,929	-	7.5	6.5-8.5	9.6	28.3	10.0	BSW
18291		235/55R19	XL	105	V	4	50	2,039	-	7.5	6.5-8.5	9.6	29.2	10.0	BSW
18289		245/40ZR19	XL	98	W	4	50	1,653	-	8.5	8.0-9.5	9.8	26.7	9.5	BSW
18257		245/45ZR19	XL	102	W	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	9.5	BSW
18247		245/55R19	103	V	4	51	1,929	-	7.5	7.0-8.5	10.0	29.6	10.0	BSW	
18290		255/40ZR19	XL	100	W	4	50	1,764	-	9.0	8.5-10.0	10.2	27.0	9.5	BSW
18261		255/45R19	XL	103	V	4	50	1,984	-	8.5	8.0-9.5	10.0	28.1	9.5	BSW
18237		255/50R19	XL	107	V	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	10.0	BSW
18226		255/60R19	109	H	4	51	2,271	-	7.5	7.0-9.0	10.2	31.1	10.0	BSW	
18606		265/55ZR19	XL	113	W	4	50	2,535	-	8.5	7.5-9.5	10.9	30.5	9.5	BSW
18272		275/40ZR19	XL	105	W	4	50	2,039	-	9.5	9.0-11.0	10.9	27.7	9.5	BSW
18253		235/55R20	102	V	4	51	1,874	-	7.5	6.5-8.5	9.6	30.2	10.0	BSW	
18263		245/35ZR20	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.8	26.8	9.5	BSW
18262		245/40ZR20	XL	99	W	4	50	1,709	-	8.5	8.0-9.5	9.8	27.7	9.5	BSW

N FERA Supreme

Code	P/ LT	Size	XL	L.I.	S.S	PLY	Max. Air	Max. Load(\$)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth (/32")	Side wall
18270		245/45ZR20	XL	103	W	4	50	1,929	-	8.0	7.5-9.0	9.6	28.7	9.5	BSW
18221		245/50R20	102	V	4	51	1,874	-	7.5	7.0-8.5	10.0	29.7	10.0	BSW	
18230		255/35ZR20	XL	97	W	4	50	1,609	-	9.0	8.5-10.0	10.2	27.0	9.5	BSW
18259		255/45ZR20	XL	105</											

N'Fera AU7**ULTRA HIGH PERFORMANCE ALL SEASON**

The N'Fera AU7 is designed for the discretionary driver of sports cars, luxury coupes, and performance sedans looking for superior traction in dry and wet conditions. The N'Fera AU7 stands out against the competition, especially in wet conditions.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRETREAD WEAR
WARRANTY

80,000 Km

ROAD HAZARD
WARRANTYFIRST 3/32" OR
2 YEARSROADSIDE
ASSISTANCE

36 MONTHS

**OE FITMENT ON**

Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$)	Side wall	OE
16643		205/60R16		92	H	4	51	1,389	-	6.5	5.5-7.5	8.5	25.9	9.0	BSW	VW
16314		215/60R16		95	T	4	51	1,521	-	6.5	6.0-7.5	8.7	26.1	9.0	BSW	VW
16694		205/55R17		91	H	4	51	1,356	-	7.0	5.5-7.5	8.7	26.1	9.0	BSW	VW
16313		215/55R17		94	H	4	51	1,477	-	7.0	6.0-7.5	8.9	26.3	9.0	BSW	VW
15627		215/40ZR18		85	W	4	51	1,135	-	7.5	7.0-8.5	8.6	24.8	9.0	BSW	
17464		225/40ZR19	XL	93	Y	4	50	1,433	-	8.0	7.5-9.0	9.1	26.1	9.0	BSW	
15630		255/35ZR19	XL	96	Y	4	50	1,565	-	9.0	8.5-10.0	10.2	26.0	9.0	BSW	
15637		225/35ZR20	XL	90	W	4	50	1,323	-	8.0	7.5-9.0	9.1	26.2	9.0	BSW	
15635		275/35ZR20	XL	102	Y	4	50	1,874	-	9.5	9.0-11.0	10.9	27.6	9.0	BSW	

Technical data can be changed without further notice.
For more detailed OE application information, please refer to "Original Equipment 2022" page.

PERFORMANCE RATINGS**N'Priz AH5****STANDARD TOURING ALL SEASON**

The N'Priz AH5 has four wide, longitudinal grooves that improve drainage performance; a rigid shoulder block design to enhance cornering, handling, and a quiet, comfortable ride; and a dual kerf design to enhance block stiffness and mileage.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRETREAD WEAR
WARRANTY

80,000 Km

ROAD HAZARD
WARRANTYFIRST 3/32" OR
2 YEARSROADSIDE
ASSISTANCE

36 MONTHS

Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$)	Side wall
16406		165/65R14		79	S	4	51	963	-	5.0	4.5-6.0	6.7	22.4	9.0	BSW
15011		175/65R14	XL	86	T	4	50	1,168	-	5.0	5.0-6.0	7.0	23.0	9.0	BSW
15129		175/70R14		84	T	4	44	1,102	-	5.0	4.5-6.0	7.0	23.7	9.0	BSW
12561	P	185/60R14		82	H	4	44	1,047	-	5.5	5.0-6.5	7.4	22.8	9.0	BSW
15139	P	185/65R14		85	T	4	44	1,124	-	5.5	5.0-6.5	7.4	23.5	9.0	BSW
15399		185/70R14		88	T	4	44	1,235	-	5.5	4.5-6.0	7.4	24.3	9.0	BSW
12562	P	195/60R14		85	H	4	44	1,135	-	6.0	5.5-7.0	7.9	23.2	9.0	BSW
15400		195/70R14		91	T	4	44	1,356	-	6.0	5.0-6.5	7.9	24.8	9.0	BSW
15403		195/75R14		92	S	4	44	1,389	-	5.5	5.0-6.5	7.7	25.5	9.0	WR
15404		205/75R14		95	S	4	44	1,521	-	5.5	5.0-7.0	8.0	26.1	9.0	WR
15401		215/70R14		96	T	4	44	1,565	-	6.5	5.5-7.0	8.7	25.9	9.0	WR
15130		175/65R15		84	H	4	44	1,102	-	5.0	5.0-6.0	7.0	24.0	9.0	BSW
15138		185/55R15		82	H	4	51	1,047	-	6.0	5.0-6.5	7.6	23.0	9.0	BSW
15134		185/60R15		84	T	4	44	1,102	-	5.5	5.0-6.5	7.4	23.7	9.0	BSW
14658		185/65R15		88	H	4	44	1,235	-	5.5	5.0-6.5	7.4	24.4	9.0	BSW
15145	P	195/60R15		87	T	4	44	1,190	-	6.0	5.5-7.0	7.9	24.2	9.0	BSW
15140	P	195/65R15		89	T	4	44	1,279	-	6.0	5.5-7.0	7.9	25.0	10.0	BSW
12564	P	205/60R15		90	H	4	44	1,301	-	6.0	5.5-7.5	8.2	24.7	9.0	BSW
15141	P	205/65R15		92	T	4	44	1,400	-	6.0	5.5-7.5	8.2	25.5	9.0	BSW
14661		205/70R15		96	T	4	44	1,565	-	6.0	5.0-7.0	8.2	26.3	9.0	BSW
15405		205/75R15		97	S	4	44	1,609	-	5.5	5.0-7.0	8.0	27.1	9.0	WR
15142	P	215/65R15		95	T	4	44	1,510	-	6.5	6.0-7.5	8.7	26.0	9.0	BSW
14662		215/70R15		98	T	4	44	1,653	-	6.5	5.5-7.0	8.7	26.9	9.0	BSW

PERFORMANCE RATINGS**7****8**

N'Priz AH5

Code	P/ LT	Size	XL	L.I.	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$ "")	Side wall
15406		215/75R15		100	S	4	44	1,764	-	6.0	5.5-7.0	8.5	27.7	9.0	WR
15402		225/70R15		100	T	4	44	1,764	-	6.5	6.0-7.5	9.0	27.4	9.0	WR
15407		225/75R15		102	S	4	44	1,874	-	6.0	6.0-7.5	8.8	28.3	9.0	WR
15408		235/75R15	XL	109	S	4	50	2,271	-	6.5	6.0-8.0	9.3	28.9	9.0	WR
15148	P	205/55R16		89	T	4	44	1,279	-	6.5	5.5-7.5	8.4	24.9	10.0	BSW
15146	P	205/60R16		91	T	4	44	1,356	-	6.0	5.5-7.5	8.2	25.7	9.0	BSW
15131		205/65R16		95	T	4	44	1,521	-	6.0	5.5-7.5	8.2	26.5	9.0	BSW
15147		215/60R16		95	T	4	44	1,521	-	6.5	6.0-7.5	8.7	26.1	9.0	BSW
15143		215/65R16		98	T	4	44	1,653	-	6.5	6.0-7.5	8.7	27.0	9.0	BSW
15136		225/60R16		98	T	4	44	1,653	-	6.5	6.0-8.0	9.0	26.6	9.0	BSW
15137		235/60R16		100	T	4	44	1,764	-	7.0	6.5-8.5	9.4	27.1	9.0	BSW
15144		235/65R16		103	T	4	44	1,929	-	7.0	6.5-8.5	9.4	28.0	9.0	BSW
15152		215/50R17		91	H	4	51	1,356	-	7.0	6.0-7.5	8.9	25.5	9.0	BSW
15149		215/55R17		94	H	4	51	1,477	-	7.0	6.0-7.5	8.9	26.3	9.0	BSW
13022		215/60R17		96	T	4	44	1,565	-	6.5	6.0-7.5	8.7	27.2	9.0	BSW
15132		215/65R17		99	T	4	44	1,709	-	6.5	6.0-7.5	8.7	28.0	9.0	BSW
15153		225/50R17		94	T	4	51	1,477	-	7.0	6.0-8.0	9.2	25.9	9.0	BSW
15150		225/55R17		97	T	4	36	1,609	-	7.0	6.0-8.0	9.2	26.8	9.0	BSW
15135		225/60R17		99	T	4	44	1,709	-	6.5	6.0-8.0	9.0	27.6	9.0	BSW
15133		225/65R17		102	T	4	44	1,874	-	6.5	6.0-8.0	9.0	28.5	9.0	BSW
15151		235/55R17		99	H	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	9.0	BSW

Technical data can be changed without further notice.
White: White Ribbon Type (0.6" width)

N'Priz AH8**GRAND TOURING ALL SEASON**

The N'Priz AH8 is designed for family sedans that require all-year traction in dry, wet, and light snow conditions. Performance in light snow conditions is superior to its predecessor.

**TOTAL
COVERAGE
WARRANTY**

NEXEN TIRE

TREAD WEAR
WARRANTY

115,000 Km

ROAD HAZARD
WARRANTYFIRST 3 $\frac{1}{32}$ " OR
2 YEARSROADSIDE
ASSISTANCE

36 MONTHS



HYUNDAI



KIA



VW

OE FITMENT ON

Code	P/ LT	Size	XL	L.I.	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$ "")	Side wall	OE
14979		185/65R15		88	H	4	44	1,235	-	5.5	5.0-6.5	7.4	24.4	9.0	BSW	Kia
15522		195/55R15		85	H	4	51	1,135	-	6.0	5.5-7.0	7.9	23.4	9.0	BSW	
14386		195/65R15		91	T	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	9.0	BSW	Hyundai
15394		195/65R15		91	T	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	9.0	BSW	Kia
15521		185/55R16		83	H	4	51	1,074	-	6.0	5.0-6.5	7.6	24.0	9.0	BSW	
14741		195/45R16	XL	84	V	4	50	1,102	-	6.5	6.0-7.5	7.7	22.9	9.0	BSW	
16409		205/45R16		83	H	4	51	1,074	-	7.0	6.5-7.5	8.1	23.2	9.8	BSW	
15523		195/55R16		87	V	4	51	1,201	-	6.0	5.5-7.0	7.9	24.4	9.0	BSW	
14194		205/55R16		91	H	4	44	1,356	-	6.5	5.5-7.5	8.4	24.9	10.0	BSW	Hyundai
15395		205/55R16		91	H	4	44	1,356	-	6.5	5.5-7.5	8.4	25.0	9.0	BSW	Kia
15605		205/60R16		92	H	4	44	1,389	-	6.0	5.5-7.5	8.2	25.7	9.0	BSW	Hyundai
13904		205/65R16		95	H	4	44	1,521	-	6.0	5.5-7.5	8.2	26.5	10.0	BSW	Kia
13677		205/70R16		115	T	4	51	2,679	-	8.0	7.5-9.5	11.0	31.1	13.0	BSW	
15677	P	205/70R16		96	H	4	44	1,565	-	6.0	5.0-7.0	8.2	27.3	9.0	BSW	
14369		215/55R16	XL	97	H	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	10.0	BSW	Ram
15352		225/50R16		92	H	4	51	1,389	-	7.0	6.0-8.0	9.2	24.9	9.0	BSW	
15118		225/65R16		100	H	4	44	1,764	-	6.5	6.0-8.0	9.0	27.5	9.0	BSW	
15530		205/55R17		91	H	4	51	1,356	-	6.5	5.5-7.5	8.4	25.9	9.0	BSW	VW
15236		205/55R17	XL	95	V	4	50	1,521	-	6.5	5.5-7.5	8.4	25.9	9.7	BSW	
16094		205/55R17		91	H	4	51	1,356	-	6.5	5.5-7.5	8.4	25.9	9.0	BSW	Hyundai
14749		215/45R17		87	H	4	44	1,201	-	7.0	7.0-8.0	8.4	24.6	9.0	BSW	Hyundai
15606		215/55R17		94	V	4	44	1,477	-	7.0	6.0-7.5					

Aria AH7**PREMIUM GRAND TOURING ALL SEASON**

The Aria AH7 includes a four-groove design, which leverages optimal driving performance on wet roads in all four seasons. This tire has a uniformly designed center, which evenly distributes external pressure when contacting the road surface and prevents one-sided wear. The five random pitch variation design reduces pattern noise, and the increased block stiffness and uniform block distribution deliver maximum grip during high-speed cornering.

TOTAL COVERAGE WARRANTY
NEXEN TIRETREAD WEAR WARRANTY
125,000 KmROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARSROADSIDE ASSISTANCE
36 MONTHS

Code	P/LT	Size	XL	L.I.	S.S.	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth (/32")	Side wall
15190		195/65R15		91	H	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	10.5	BSW
15194		205/55R16		91	H	4	51	1,356	-	6.5	5.5-7.5	8.4	24.9	10.5	BSW
15193		205/60R16		92	H	4	44	1,389	-	6.0	5.5-7.5	8.2	25.7	10.5	BSW
15191		205/65R16		95	H	4	44	1,521	-	6.0	5.5-7.5	8.2	26.5	10.5	BSW
14501		215/60R16		95	T	4	44	1,521	-	6.5	6.0-7.5	8.7	26.1	10.5	BSW
15192		215/65R16		98	T	4	44	1,653	-	6.5	6.0-7.5	8.7	27.0	10.5	BSW
14311		225/60R16		98	H	4	44	1,653	-	6.5	6.0-8.0	9.0	26.6	10.5	BSW
13044		225/65R16		100	T	4	44	1,764	-	6.5	6.0-8.0	9.0	27.5	10.5	BSW
13046		235/65R16		103	T	4	44	1,929	-	7.0	6.5-8.5	9.4	28.0	10.5	BSW
15195		215/55R17		94	H	4	51	1,477	-	7.0	6.0-7.5	8.9	26.3	10.5	BSW
15155		215/60R17		96	H	4	44	1,565	-	6.5	6.0-7.5	8.7	27.2	10.5	BSW
13043		215/65R17		99	T	4	44	1,709	-	6.5	6.0-7.5	8.7	28.0	10.5	BSW
15198		225/50R17		94	H	4	51	1,477	-	7.0	6.0-8.0	9.2	25.9	10.5	BSW
13049		225/55R17		97	H	4	51	1,609	-	7.0	6.0-8.0	9.2	26.8	10.5	BSW
13041		225/60R17		99	T	4	44	1,709	-	6.5	6.0-8.0	9.0	27.6	10.5	BSW
15157		225/65R17		102	H	4	44	1,874	-	6.5	6.0-8.0	9.0	28.5	10.5	BSW
13042		235/60R17		102	H	4	44	1,874	-	7.0	6.5-8.5	9.4	28.1	10.5	BSW
13047		235/65R17		104	T	4	44	1,984	-	7.0	6.5-8.5	9.4	29.1	10.5	BSW
15196		215/55R18		95	T	4	51	1,521	-	7.0	6.0-7.5	8.9	27.3	10.5	BSW
15199		225/50R18		95	T	4	51	1,521	-	7.0	6.0-8.0	9.2	26.9	10.5	BSW
15197		225/55R18		98	T	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	10.5	BSW
13312		235/55R18		100	H	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	10.5	BSW
13313		235/60R18		103	H	4	44	1,929	-	7.0	6.5-8.5	9.4	29.1	10.5	BSW
13048		235/65R18		106	H	4	44	2,094	-	7.0	6.5-8.5	9.4	30.0	10.5	BSW

Technical data can be changed without further notice.

PERFORMANCE RATINGS**N blue 4Season** **ALL WEATHER**

The N blue 4Season is the Nexen's Touring All-Weather tire developed for the drivers of sedans who want a refined tire that combines superior comfort, traction in dry and wet road conditions, plus light snow traction, and offers better ice and snow performance than a general all season tire.

**TOTAL COVERAGE WARRANTY**
NEXEN TIRETREAD WEAR WARRANTY
60,000 KmROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARSROADSIDE ASSISTANCE
36 MONTHS

Code	P/LT	Size	XL	L.I.	S.S.	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth (/32")	Side wall	3PMS
15344		175/70R13		82	T		44	1,047	-	5.0	4.5-6.0	7.0	22.7	10.0	BSW	3PMS
15337		175/65R14		82	T		44	1,047	-	5.0	5.0-6.0	7.0	23.0	10.0	BSW	3PMS
15345		175/70R14		84	T		44	1,102	-	5.0	4.5-6.0	7.0	23.7	10.0	BSW	3PMS
15326		185/60R14		82	H		44	1,047	-	5.5	5.0-6.5	7.4	22.8	10.0	BSW	3PMS
15339		185/65R14		86	T		44	1,168	-	5.5	5.0-6.5	7.4	23.5	10.0	BSW	3PMS
15338		175/65R15		84	T		44	1,102	-	5.0	5.0-6.0	7.0	24.0	10.0	BSW	3PMS
15319		185/55R15		82	H		51	1,047	-	6.0	5.0-6.5	7.6	23.0	10.0	BSW	3PMS
15327		185/60R15	XL	88	H		50	1,235	-	5.5	5.0-6.5	7.4	23.7	10.0	BSW	3PMS
15341		185/65R15		88	H		44	1,235	-	5.5	5.0-6.5	7.4	24.4	10.0	BSW	3PMS
15316		195/50R15		82	H		51	1,047	-	6.0	5.5-7.0	7.9	22.7	10.0	BSW	3PMS
15320		195/55R15		85	H		51	1,135	-	6.0	5.5-7.0	7.9	23.4	10.0	BSW	3PMS
15329		195/60R15		88	H		44	1,235	-	6.0	5.5-7.0	7.9	24.2	10.0	BSW	3PMS
18473		195/65R15		91	H		44	1,356	-	6.0	5.5-7.0	7.9	25.0	10.0	BSW	3PMS
15330		205/60R15		91	H		44	1,356	-	6.0	5.5-7.5	8.2	24.7	10.0	BSW	3PMS
15321		195/55R16	XL	91	H		50	1,356	-	6.0	5.5-7.0	7.9	24.4	10.0	BSW	3PMS
15274		205/55R16		91	H		51	1,356	-	6.5	5.5-7.5	8.4	24.9	10.0	BSW	3PMS
15265		205/55R16	XL	94	H		50	1,477	-</							



Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$)	Side wall	3PMS
16485		215/70R16		100	H		51	1,764	-	6.5	5.5-7.0	8.7	27.9	10.5	BSW	3PMS
15323		225/55R16		95	H		51	1,521	-	7.0	6.0-8.0	9.2	25.7	10.0	BSW	3PMS
16476		205/50R17	XL	93	W		50	1,433	-	6.5	5.5-7.5	8.4	25.1	10.0	BSW	3PMS
16474		215/45R17	XL	91	W		50	1,356	-	7.0	7.0-8.0	8.4	24.6	10.0	BSW	3PMS
16479		215/55R17	XL	98	V		50	1,653	-	7.0	6.0-7.5	8.9	26.3	10.0	BSW	3PMS
15333		215/60R17		96	H		44	1,565	-	6.5	6.0-7.5	8.7	27.2	10.0	BSW	3PMS
15315		225/45R17	XL	94	V		50	1,477	-	7.5	7.0-8.5	8.9	25.0	10.0	BSW	3PMS
15317		225/50R17		94	V		51	1,477	-	7.0	6.0-8.0	9.2	25.9	10.0	BSW	3PMS
15318		225/50R17	XL	98	V		50	1,653	-	7.0	6.0-8.0	9.2	25.9	10.0	BSW	3PMS
16478		225/55R17	XL	101	V		50	1,819	-	7.0	6.0-8.0	9.2	26.8	10.0	BSW	3PMS
16484		225/65R17		102	H		51	1,874	-	6.5	6.0-8.0	9.0	28.5	10.5	BSW	3PMS
16475		235/45R17	XL	97	V		50	1,609	-	8.0	7.5-9.0	9.3	25.4	10.0	BSW	3PMS
16481		235/55R17	XL	103	V		50	1,929	-	7.5	6.5-8.5	9.6	27.2	10.5	BSW	3PMS
16483		235/65R17	XL	108	V		50	2,205	-	7.0	6.5-8.5	9.4	29.1	10.5	BSW	3PMS
16473		225/40R18	XL	92	V		50	1,389	-	8.0	7.5-9.0	9.1	25.1	10.0	BSW	3PMS
16477		235/50R18	XL	101	V		50	1,819	-	7.5	6.5-8.5	9.6	27.3	10.5	BSW	3PMS
16482		235/60R18	XL	107	V		50	2,150	-	7.0	6.5-8.5	9.4	29.1	10.5	BSW	3PMS
16480		255/55R18	XL	109	V		50	2,271	-	8.0	7.0-9.0	10.4	29.0	10.5	BSW	3PMS
16477		235/50R18	XL	101	V		50	1,819	-	7.5	6.5-8.5	9.6	27.3	10.5	BSW	3PMS
16482		235/60R18	XL	107	V		50	2,150	-	7.0	6.5-8.5	9.4	29.1	10.5	BSW	3PMS
16480		255/55R18	XL	109	V		50	2,271	-	8.0	7.0-9.0	10.4	29.0	10.5	BSW	3PMS

Technical data can be changed without further notice.

THE ALL NEW

ROADIAN HTX2

**HIGHWAY TERRAIN**

This is the new Nexen Roadian HTX2, the result of a long-inspired journey to create a high-mileage SUV and Light Truck tire that also delivers outstanding all-weather driving performance. Designed, engineered, and constructed with technical features only found in the Roadian HTX2, compromise is no longer a part of your tire buying equation.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE
TREAD
WEAR
WARRANTY
115,000 Km (P)
80,000 Km (LT)ROAD HAZARD
WARRANTY
FIRST 3 $\frac{1}{32}$ " OR
2 YEARSROADSIDE
ASSISTANCE
36 MONTHS

No Road Hazard & Mileage Warranty on commercial delivery van sizes (LT225/75R16 & 235/65R16C).

Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$)	Side wall	3PMS
17990		225/70R16		103	T	4	51	1,929	-	6.5	6.0-7.5	9.0	28.4	11.0	RWL	3PMS
17984		225/75R16	XL	108	T	4	50	2,205	-	6.0	6.0-7.5	8.8	29.3	11.0	RWL	3PMS
17980		235/70R16	XL	109	T	4	50	2,271	-	7.0	6.0-8.0	9.4	29.0	11.0	RWL	3PMS
17976		235/75R16		108	T	4	51	2,205	-	6.5	6.0-8.0	9.3	29.8	11.0	RWL	3PMS
17977		245/70R16		107	T	4	51	2,149	-	7.0	6.5-8.0	9.8	29.5	11.0	RWL	3PMS
17988		245/75R16		111	T	4	51	2,403	-	7.0	6.5-8.0	9.8	30.5	11.0	RWL	3PMS
17993		255/65R16		109	T	4	51	2,271	-	7.5	7.0-9.0	10.2	29.1	11.0	RWL	3PMS
17992		255/70R16		111	T	4	51	2,403	-	7.5	6.5-8.5	10.2	30.1	11.0	RWL	3PMS
17989		265/70R16		112	T	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	12.0	RWL	3PMS
17978		265/75R16		116	T	4	51	2,756	-	7.5	7.0-9.0	10.5	31.7	12.0	RWL	3PMS
17970		225/65R17		102	H	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	11.0	BSW	3PMS
17960		235/65R17		104	H	4	51	1,984	-	7.0	6.5-8.5	9.4	29.1	11.0	BSW	3PMS
17982		245/65R17		107	H	4	51	2,149	-	7.0	7.0-8.5	9.8	29.5	11.0	RWL	3PMS
17983		245/70R17		110	T	4	51	2,337	-	7.0	6.5-8.0	9.8	30.6	11.0	RWL	3PMS
17991		255/65R17		110	T	4	51	2,337	-	7.5	7.0-9.0	10.2	30.1	11.0	RWL	3PMS
17994		255/70R17		112	T	4	51	2,469	-	7.5	6.5-8.5	10.2	31.1	11.0	RWL	3PMS
17987		265/65R17		112	T	4	51	2,469	-	8.0	7.5-9.5	10.7	30.6	12.0	RWL	3PMS
17103		265/70R17		115	T	4	51	2,679	-	8.0	7.0-9.0	10.7	31.7	12.0	RWL	3PMS
17955		235/60R18		103	H	4	51	1,929	-	7.0	6.5-8.5	9.4	29.1	11.0	BSW	3PMS
17963		235/65R18		106	H	4	51	2,094	-	7.0	6.5-8.5	9.4	30.0	11.0	BSW	3PMS

PERFORMANCE RATINGS

8



ROADIAN HTX 2

Code	P/ LT	Size	XL	L.I.	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$ "")	Side wall	3PMS
17966		245/60R18		105	H	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	11.0	BSW	3PMS
17949		255/65R18		111	T	4	51	2,403	-	7.5	7.0-9.0	10.2	31.1	11.0	BSW	3PMS
17975		255/70R18		113	T	4	51	2,535	-	7.5	6.5-8.5	10.2	32.1	11.0	BSW	3PMS
17962		265/60R18		110	H	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	12.0	BSW	3PMS
17967		265/65R18		114	T	4	51	2,601	-	8.0	7.5-9.5	10.7	31.5	12.0	BSW	3PMS
17968		265/70R18		116	T	4	51	2,756	-	8.0	7.0-9.0	10.7	32.6	12.0	BSW	3PMS
17972		275/65R18		116	T	4	51	2,756	-	8.0	7.5-9.5	11.0	32.1	12.0	BSW	3PMS
17965		245/55R19		103	T	4	51	1,929	-	7.5	7.0-8.5	10.0	29.6	11.0	BSW	3PMS
17956		255/60R19		109	H	4	51	2,271	-	7.5	7.0-9.0	10.2	31.1	11.0	BSW	3PMS
17974		245/60R20		107	H	4	51	2,149	-	7.0	7.0-8.5	9.8	31.6	11.0	BSW	3PMS
17948		255/50R20		105	H	4	51	2,039	-	8.0	7.0-9.0	10.4	30.1	11.0	BSW	3PMS
17969		255/55R20		107	H	4	51	2,149	-	8.0	7.0-9.0	10.4	31.0	11.0	BSW	3PMS
17950		265/50R20		107	T	4	51	2,149	-	8.5	7.5-9.5	10.9	30.5	12.0	BSW	3PMS
17964		275/55R20		113	H	4	51	2,535	-	8.5	7.5-9.5	11.2	31.9	12.0	BSW	3PMS
17957		275/60R20		115	H	4	51	2,679	-	8.0	7.5-9.5	11.0	33.0	12.0	BSW	3PMS
17973		285/45R22	XL	114	H	4	50	2,601	-	9.5	9.0-10.5	11.2	32.1	11.0	BSW	3PMS
17954	LT	215/85R16		115/112	R	10	80	2,680	2,470	6.0	5.5-7.0	8.5	30.4	14.5	BSW	3PMS
17417	LT	225/75R16		115/112	R	10	80	2,680	2,470	6.0	6.0-7.5	8.8	29.3	14.5	BSW	3PMS
18064		235/65R16C		121/119	R	10	83	3,197	2,998	7.0	6.5-7.5	9.4	28.0	12.5	BSW	3PMS
17958	LT	235/85R16		120/116	S	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	14.5	BSW	3PMS
17959	LT	245/75R16		120/116	S	10	80	3,042	2,778	7.0	6.5-8.0	9.8	30.5	14.5	BSW	3PMS
17981	LT	265/75R16		123/120	S	10	80	3,415	3,085	7.5	7.0-9.0	10.5	31.7	14.5	RWL	3PMS
17971	LT	235/80R17		120/117	S	10	80	3,085	2,835	6.5	6.0-8.0	9.3	31.8	14.5	BSW	3PMS
17985	LT	245/70R17		119/116	S	10	80	3,000	2,755	7.0	6.5-8.0	9.8	30.6	14.5	RWL	3PMS
17986	LT	245/75R17		121/118	S	10	80	3,195	2,910	7.0	6.5-8.0	9.8	31.5	14.5	RWL	3PMS
18830	LT	265/70R17		123/120	S	10	80	3,415	3,085	8.0	7.0-9.0	10.7	31.7	14.5	RWL	3PMS
17953	LT	275/65R18		123/120	S	10	80	3,415	3,085	8.0	8.0-9.5	11.0	32.1	14.5	BSW	3PMS
17951	LT	275/70R18		125/122	S	10	80	3,640	3,305	8.0	7.0-9.0	11.0	33.2	14.5	BSW	3PMS
17961	LT	265/60R20		121/118	S	10	80	3,195	2,910	8.0	8.0-9.5	10.7	32.5	14.5	BSW	3PMS
17947	LT	275/65R20		126/123	S	10	80	3,750	3,415	8.0	8.0-9.5	11.0	34.1	14.5	BSW	3PMS
17952	LT	285/60R20		125/122	S	10	80	3,640	3,305	8.5	8.5-10.0	11.5	33.5	14.5	BSW	3PMS

Technical data can be changed without further notice.

DUAL SIDEWALL OPTIONS ▾



WHITE SIDEWALL OPTION ▾

THE ALL NEW

ROADIAN ATX



ALL-TERRAIN

The new Roadian ATX features excellent construction and material advancements that grip wet or dry. New tread technology provides a better grip as it wears, and sidewall lugs and deep grooves produce outstanding handling and control off-road and on-road. Mount a set on your light truck or SUV to experience Nexen's unwavering commitment to do it all, and do it well. Dry or wet, muddy and slippery...go where you want in confidence with the Nexen Roadian ATX.



TOTAL COVERAGE WARRANTY

NEXEN TIRE



TREAD WEAR WARRANTY

105,000 Km (P)
95,000 Km (LT)

ROAD HAZARD WARRANTY

FIRST 3/32" OR
2 YEARS

ROADSIDE ASSISTANCE

36 MONTHS

Code	P/ LT	Size	XL	L.I.	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$ "")	Side wall	3PMS
18788		235/75R15	XL	109	T	4	50	2,271	-	6.5	6.0-8.0	9.3	28.9	12.5	BSW	3PMS
18783		245/75R16		111	T	4	51	2,403	-	7.0	6.5-8.0	9.8	30.5	12.5	BSW	3PMS
18785		265/70R16		112	T	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	12.5	BSW	3PMS
18784		265/75R16		116	T	4	51	2,756	-	7.5	7.0-9.0	10.5	31.7	12.5	BSW	3PMS
18771		235/75R17		109	T	4	51	2,271	-	6.5	6.0-8.0	9.3	30.9	12.5	BSW	3PMS
18776		245/65R17	XL	111	T	4	50	2,403	-	7.0	7.0-8.5	9.8	29.5	12.5	BSW	3PMS
18764		245/70R17		110	T	4	51	2,337	-	7.0	6.5-8.0	9.8	30.6	12.5	BSW	3PMS
18768		255/65R17														

ROADIAN ATX

Code	P/ LT	Size	XL	L.I.	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{3}{32}$ ')	Side wall	3PMS
18736		275/60R20		115	T	4	51	2,679	-	8.0	7.5-9.5	11.0	33.0	12.5	BSW	3PMS
18737		275/50R22		111	H	4	51	2,403	-	8.5	7.5-9.5	11.2	32.9	12.5	BSW	3PMS
18735		285/45R22	XL	114	H	4	50	2,601	-	9.5	9.0-10.5	11.2	32.1	12.0	BSW	3PMS
18746		305/45R22	XL	118	H	4	50	2,910	-	10.0	9.5-11.5	11.9	32.8	12.0	BSW	3PMS
12500	LT	235/75R15		104/101	S	6	50	1,985	1,820	6.5	6.0-8.0	9.3	28.9	16.0	BSW	3PMS
18777	LT	225/75R16		115/112	S	10	80	2,680	2,470	6.0	6.0-7.5	8.8	29.3	16.0	BSW	3PMS
18786	LT	235/85R16		120/116	S	10	80	3,042	2,778	6.5	6.5-7.5	9.3	31.7	16.0	BSW	3PMS
18782	LT	245/75R16		120/116	S	10	80	3,042	2,778	7.0	6.5-8.0	9.8	30.5	16.0	BSW	3PMS
18780	LT	265/70R16		121/118	S	10	80	3,195	2,910	8.0	7.0-9.0	10.7	30.6	16.0	BSW	3PMS
18789	LT	265/75R16		123/120	S	10	80	3,415	3,085	7.5	7.0-9.0	10.5	31.7	16.0	BSW	3PMS
18790	LT	285/75R16		126/123	S	10	80	3,750	3,415	8.0	7.5-9.5	11.3	32.8	16.0	BSW	3PMS
18774	LT	235/80R17		120/117	S	10	80	3,085	2,835	6.5	6.0-8.0	9.3	31.8	16.0	BSW	3PMS
18762	LT	245/70R17		119/116	S	10	80	3,000	2,755	7.0	6.5-8.0	9.8	30.6	16.0	BSW	3PMS
18770	LT	245/75R17		121/118	S	10	80	3,195	2,910	7.0	6.5-8.0	9.8	31.5	16.0	BSW	3PMS
18773	LT	265/70R17		123/120	S	10	80	3,415	3,085	8.0	7.0-9.0	10.7	31.7	16.0	BSW	3PMS
18775	LT	275/70R17		124/121	S	10	80	3,525	3,195	8.0	7.0-9.0	11.0	32.2	16.0	BSW	3PMS
18767	LT	285/70R17		126/123	S	10	80	3,750	3,415	8.5	7.0-9.5	11.5	32.8	16.0	BSW	3PMS
18772	LT	285/75R17		128/125	S	10	80	3,970	3,640	8.0	7.5-9.5	11.3	33.9	16.0	BSW	3PMS
18766	LT	315/70R17		126/123	S	10	65	3,750	3,415	9.5	8.0-10.5	12.7	34.4	16.0	BSW	3PMS
18758	LT	265/65R18		122/119	S	10	80	3,305	3,000	8.0	8.0-9.5	10.7	31.5	16.0	BSW	3PMS
18752	LT	265/70R18		124/121	S	10	80	3,525	3,195	8.0	7.0-9.0	10.7	32.6	16.0	BSW	3PMS
18751	LT	275/65R18		123/120	S	10	80	3,415	3,085	8.0	8.0-9.5	11.0	32.1	16.0	BSW	3PMS
18390	LT	275/70R18		125/122	S	10	80	3,640	3,305	8.0	7.0-9.0	11.0	33.2	16.0	BSW	3PMS
18753	LT	285/65R18		125/122	S	10	80	3,640	3,305	8.5	8.5-10.0	11.5	32.6	16.0	BSW	3PMS
18749	LT	285/75R18		129/126	S	10	80	4,080	3,750	8.0	7.5-9.5	11.3	34.8	16.0	BSW	3PMS
18754	LT	295/70R18		129/126	S	10	80	4,080	3,750	8.5	7.5-10.0	11.8	34.3	16.0	BSW	3PMS
18738	LT	265/60R20		121/118	S	10	80	3,195	2,910	8.0	8.0-9.5	10.7	32.5	16.0	BSW	3PMS
18745	LT	275/55R20		120/117	S	10	80	3,085	2,835	8.5	8.0-9.5	11.2	31.9	16.0	BSW	3PMS
18734	LT	275/60R20		123/120	S	10	80	3,415	3,085	8.0	8.0-9.5	11.0	33.0	16.0	BSW	3PMS
18740	LT	275/65R20		126/123	S	10	80	3,750	3,415	8.0	8.0-9.5	11.0	34.1	16.0	BSW	3PMS
18739	LT	285/55R20		122/119	S	10	80	3,305	3,000	9.0	8.5-10.5	11.7	32.4	16.0	BSW	3PMS
18743	LT	285/60R20		125/122	S	10	80	3,640	3,305	8.5	8.5-10.0	11.5	33.5	16.0	BSW	3PMS
18741	LT	305/55R20		125/122	S	12	80	3,640	3,305	9.5	9.0-11.0	12.4	33.2	16.0	BSW	3PMS
18787	LT	30X9.50R15		104	S	6	50	1,985	-	7.5	6.0-8.0	9.4	29.5	16.0	BSW	-
18778	LT	31X10.50R15		109	S	6	50	2,270	-	8.5	7.0-9.0	10.6	30.5	16.0	BSW	-
18781	LT	33X12.50R15		108	S	6	35	2,205	-	10.0	8.0-10.5	12.5	32.5	16.0	BSW	-
18761	LT	35X12.50R17		128	S	12	80	3,970	-	10.0	8.0-10.5	12.5	34.5	16.0	BSW	-
18759	LT	35X12.50R18		128	S	12	80	3,970	-	10.0	8.5-11.0	12.5	34.5	16.0	BSW	-
18733	LT	33X12.50R20		119	S	12	80	3,000	-	10.0	8.5-11.0	12.5	32.5	16.0	BSW	-
18742	LT	35X12.50R20		125	S	12	80	3,640	-	10.0	8.5-11.0	12.5	34.5	16.0	BSW	-
18744	LT	33X12.50R22		114	S	12	80	2,600	-	10.0	8.0-11.0	12.5	32.5	16.0	BSW	-
18731	LT	35X12.50R22		121	S	12	80	3,195	-	10.0	8.5-11.0	12.5	34.5	16.0	BSW	-

DUAL SIDEWALL OPTIONS ▾

Technical data can be changed without further notice.

ROADIAN GTX

CUV/SUV TOURING

The Roadian GTX delivers on every count. Crossovers and SUVs are more popular than ever, and their segment of the market is only increasing. Drivers count on their versatility and dependability, from cross-country road trips to trips to the store. They need a tire with a long tread life, all-season traction, the best mileage, and a comfortable ride. The Nexen Roadian GTX touring tire meets these needs and exceeds expectations.

TOTAL COVERAGE WARRANTY

NEXEN TIRE

115,000 Km

TREAD WEAR WARRANTY

FIRST 3/32" OR 2 YEARS

ROAD HAZARD WARRANTY

36 MONTHS

ROADSIDE ASSISTANCE

36 MONTHS

OE FITMENT ON

HYUNDAI

KIA

MITSUBISHI MOTORS

Code	P/ LT	Size	XL	L.I.	S.S</th

ROADIAN GTX

Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth (-/32")	Side wall	OE
17036		235/50R18		97	V	4	50	1,609	-	7.5	6.5-8.5	9.6	27.3	9.5	BSW	
17045		235/55R18	XL	104	V	4	50	1,984	-	7.5	6.5-8.5	9.6	28.1	9.5	BSW	
17142	P	235/60R18		103	H	4	51	1,929	-	7.0	6.5-8.5	9.4	29.1	9.5	BSW	
17571		235/65R18		106	H	4	51	2,094	-	7.0	6.5-8.5	9.4	30.0	9.5	BSW	
17055		245/60R18		105	H	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	9.5	BSW	
17048		255/55R18	XL	109	V	4	51	2,271	-	8.0	7.0-9.0	10.4	29.0	9.5	BSW	
17056		255/60R18		108	H	4	51	2,205	-	7.5	7.0-9.0	10.2	30.0	9.5	BSW	
17062		255/65R18		111	T	4	51	2,403	-	7.5	7.0-9.0	10.2	31.1	9.5	BSW	
17057		265/60R18		110	H	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	9.5	BSW	
17043		225/55R19	XL	103	V	4	50	1,929	-	7.0	6.0-8.0	9.2	28.8	9.5	BSW	
17033		235/45R19		95	H	4	51	1,521	-	8.0	7.5-9.0	9.3	27.4	9.5	BSW	
17037		235/50R19		99	H	4	51	1,709	-	7.5	6.5-8.5	9.6	28.3	9.5	BSW	
16583		235/55R19		101	H	4	51	1,819	-	7.5	6.5-8.5	9.6	29.2	9.5	BSW	
17034		245/45R19	XL	102	V	4	51	1,874	-	8.0	7.5-9.0	9.6	27.7	9.5	BSW	
17047		245/55R19		103	V	4	51	1,929	-	7.5	7.0-8.5	10.0	29.6	9.5	BSW	
17407		255/50R19	XL	107	H	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	9.5	BSW	
17414		255/55R19	XL	111	V	4	50	2,403	-	8.0	7.0-9.0	10.4	30.0	9.5	BSW	
17566		255/60R19		109	H	4	51	2,271	-	7.5	7.0-9.0	10.2	31.1	9.5	BSW	
17413		275/55R19		111	V	4	51	2,403	-	8.5	7.5-9.5	11.2	30.9	9.5	BSW	
17046		235/55R20		102	V	4	51	1,874	-	7.5	6.5-8.5	9.6	30.2	9.5	BSW	
17035		245/45R20	XL	103	V	4	51	1,929	-	8.0	7.5-9.0	9.6	28.7	9.5	BSW	
17038		245/50R20		102	V	4	51	1,874	-	7.5	7.0-8.5	10.0	29.7	9.5	BSW	
16640	P	255/45R20		101	W	4	51	1,819	-	8.5	8.0-9.5	10.0	29.1	9.5	BSW	Mitsubishi
17039		255/50R20	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	30.1	9.5	BSW	
17049		255/55R20		107	H	4	51	2,149	-	8.0	7.0-9.0	10.4	31.0	9.5	BSW	
17410		265/45R20	XL	108	H	4	50	2,205	-	9.0	8.5-10.0	10.5	29.4	9.5	BSW	
17040		265/50R20	XL	111	V	4	50	2,403	-	8.5	7.5-9.5	10.9	30.5	9.5	BSW	
17406		275/40R20	XL	106	W	4	50	2,094	-	9.5	9.0-11.0	10.9	28.7	9.5	BSW	
17408		275/45R20	XL	110	V	4	50	2,337	-	9.0	8.5-10.5	10.7	29.8	9.5	BSW	
17409		275/55R20		113	H	4	51	2,535	-	8.5	7.5-9.5	11.2	31.9	9.5	BSW	
17412		285/45R22	RF	114	H	4	50	2,601	-	9.5	9.0-10.5	11.2	32.1	9.5	BSW	

Technical data can be changed without further notice.
For more detailed OE application information, please refer to "Original Equipment 2022" page.

ROADIAN AT PRO RA8**ALL TERRAIN**

The Roadian AT Pro RA8 is comprised of a zig-zag sipe design and an open outside shoulder design to improve off-road performance with optimal mud extraction and heat reduction. The sipe-in-groove design prevents pebbles from getting stuck and improves mud-extraction performance, while the multi-sequence tread design on the center and shoulder deliver optimal noise, wear, and drainage performance. All sizes are 3 Peak Mountain Snowflake certified except OEM and flotation sizes.

TOTAL COVERAGE WARRANTY

NEXEN TIRE

TREAD WEAR WARRANTY
80,000 Km (P)
60,000 Km (LT)ROAD HAZARD WARRANTY
FIRST 3/32" OR
2 YEARSROADSIDE ASSISTANCE
36 MONTHS**OE FITMENT ON**

Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth (-/32")	Side wall	OE
14392		235/75R15	RF	109	S	4	50	2,271	-	6.5	6.0-8.0	9.3	28.9	13.0	ROWL	
12764		235/70R16		106	S	4	51	2,094	-	7.0	6.0-8.0	9.4	29.0	13.0	ROWL	
14393		245/70R16	RF	111	S	4	50	2,403	-	7.0	6.5-8.0	9.8	29.5	13.0	BSW	
12771		245/75R16		111	S	4	51	2,403	-	7.0	6.5-8.0	9.8	30.5	13.0	ROWL	
12760		255/70R16		111	S	4	51	2,403	-	7.5	6.5-8.5	10.2	30.1	13.0	ROWL	
12758		265/70R16		112	S	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	13.0	ROWL	
12759		265/75R16		116	S	4	51	2,756	-	7.5	7.0-9.0	10.5	31.7	13.0	ROWL	
14390		235/65R17	RF	108	S	4	50	2,205	-	7.0	6.5-8.5	9.4	29.1	13.0	BSW	
15211		235/75R17		108	S	4	51	2,205	-	6.5	6.0-8.0	9.3	30.9	13.0	BSW	
14436		245/65R17	RF	111	S	4	50	2,403	-	7.0	7.0-8.5	9.8	29.5	13.0	BSW	
12784		245/70R17		110	S	4	51	2,337	-	7.0	6.5-8.0	9.8	30.6	13.0	ROWL	
13124		255/65R17		110	S	4	51	2,337	-	7.5	7.0-9.0	10.2	30.1	13.0	ROWL	</

ROADIAN AT PRO RA8

Code	P/ LT	Size	XL	L.I.	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$ "")	Side wall	OE
14153		285/65R17		116	S	4	51	2,756	-	8.5	8.0-10.0	11.5	31.6	13.0	BSW	
16061	P	285/70R17		117	T	4	51	2,833	-	8.5	7.5-9.5	11.5	32.8	13.0	BSW	
15209		255/70R18		113	T	4	51	2,535	-	7.5	6.5-8.5	10.2	32.1	13.0	ROWL	
13123		265/60R18		110	T	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	13.0	BSW	
12780		265/65R18		114	S	4	51	2,601	-	8.0	7.5-9.5	10.7	31.5	13.0	BSW	
15210		265/70R18		116	S	4	51	2,756	-	8.0	7.0-9.0	10.7	32.6	13.0	ROWL	
12774		275/65R18		116	T	4	51	2,756	-	8.0	7.5-9.5	11.0	32.1	13.0	BSW	
12783		275/55R20	XL	117	T	4	50	2,833	-	8.5	7.5-9.5	11.2	31.9	12.0	BSW	
13121		275/60R20		115	S	4	51	2,679	-	8.0	7.5-9.5	11.0	33.0	12.0	BSW	
13967		285/60R18		116	S	4	51	2,756	-	8.5	8.0-10.0	11.5	31.5	12.5	BSW	
14729		265/50R20	XL	111	T	4	50	2,403	-	8.5	7.5-9.5	10.9	30.5	12.5	BSW	
15747		285/50R20	RF	116	S	4	50	2,756	-	9.0	8.0-10.0	11.7	31.3	12.5	BSW	
16055		285/45R22	XL	114	H	4	50	2,601	-	9.5	9.0-10.5	11.2	32.1	12.5	BSW	
16059		305/45R22	XL	118	T	4	50	2,910	-	10.0	9.5-11.5	11.9	32.8	12.5	BSW	
12744	LT	235/75R15		104/101	R	6	50	1,985	1,820	6.5	6.0-7.0	9.3	28.9	16.0	ROWL	
13965	LT	215/85R16		115/112	R	10	80	2,680	2,470	6.0	5.5-7.0	8.5	30.4	16.0	ROWL	
12743	LT	225/75R16		115/112	R	10	80	2,680	2,470	6.0	6.0-7.0	8.8	29.3	16.0	BSW	
12748	LT	235/85R16		120/116	R	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	16.0	BSW	
12740	LT	245/75R16		120/116	R	10	80	3,042	2,778	7.0	6.5-7.5	9.8	30.5	16.0	ROWL	
12738	LT	265/75R16		123/120	R	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	16.0	ROWL	
16278	LT	285/75R16		126/123	R	10	80	3,750	3,415	8.0	7.5-9.0	11.3	32.8	16.0	ROWL	
16286	LT	315/75R16		127/124	R	10	65	3,860	1,600	8.5	8.0-11.0	12.3	34.6	16.0	BSW	
13354	LT	235/80R17		120/117	R	10	80	3,085	2,835	6.5	6.0-7.5	9.3	31.8	15.0	ROWL	Ram
13113	LT	245/70R17		119/116	S	10	80	3,000	2,755	7.0	6.5-8.0	9.8	30.6	16.0	ROWL	
12746	LT	245/75R17		121/118	S	10	80	3,195	2,910	7.0	6.5-7.5	9.8	31.5	16.0	BSW	
12735	LT	265/70R17		121/118	S	10	80	3,195	2,910	8.0	7.0-8.5	10.7	31.7	16.0	BSW	
+ 15218	LT	285/70R17		121/118	S	10	80	3,195	2,910	8.5	7.5-9.0	11.5	32.8	16.0	BSW	
+ 16285	LT	285/75R17		121/118	S	10	80	3,195	2,910	8.0	7.5-9.5	11.3	33.9	16.0	BSW	
+ 16283	LT	315/70R17		121/118	S	10	65	3,195	2,910	9.5	8.0-11.0	12.7	34.4	16.0	BSW	
+ 15217	LT	265/70R18		124/121	S	10	80	3,527	3,197	8.0	7.0-8.5	10.7	32.6	16.0	ROWL	
+ 15215	LT	275/65R18		123/120	S	10	80	3,415	3,085	8.0	7.5-9.0	11.0	32.1	16.0	ROWL	
+ 14760	LT	275/70R18		125/122	R	10	80	3,640	3,305	8.0	7.0-8.5	11.0	33.2	14.0	BSW	Ram
+ 15216	LT	285/65R18		125/122	S	10	80	3,640	3,305	8.5	8.0-10.0	11.5	32.6	16.0	BSW	
+ 16280	LT	295/70R18		129/126	S	10	80	4,080	3,750	8.5	7.5-10.0	11.8	34.3	16.0	BSW	
+ 15214	LT	265/60R20		121/118	S	10	80	3,195	2,910	8.0	7.5-9.5	10.7	32.5	16.0	BSW	
+ 16063	LT	275/55R20		120/117	S	10	80	3,085	2,835	8.5	7.5-9.5	11.2	31.9	16.0	BSW	
+ 16062	LT	275/60R20		123/120	S	10	80	3,415	3,085	8.0	7.5-9.5	11.0	33.0	16.0	BSW	
+ 13111	LT	275/65R20		126/123	S	10	80	3,750	3,415	8.0	7.5-9.5	11.0	34.1	16.0	BSW	
+ 15212	LT	285/55R20		122/119	S	10	80	3,305	3,000	9.0	8.0-10.0	11.7	32.4	16.0	BSW	
+ 17557	LT	285/60R20		125/122	R	10	80	3,640	3,305	8.5	8.0-10.0	11.5	33.5	16.0	BSW	
+ 16279	LT	295/60R20		126/123	S	10	80	3,750	3,415	8.5	8.0-10.0	11.8	33.9	16.0	BSW	
+ 15213	LT	305/55R20		121/118	S	10	65	3,195	2,910	9.5	8.5-11.0	12.4	33.2	16.0	BSW	
12753	LT	30X9.50R15		104	S	6	50	1,985	-	7.5	6.5-8.5	9.4	29.5	16.0	ROWL	
12750	LT	31X10.50R15		109	S	6	50	2,270	-	8.5	7.0-9.0	10.6	30.5	16.0	ROWL	
+ 16282	LT	33X12.50R15		108	R	6	35	2,205	-	10.0	8.5-11.0	12.5	32.5	16.0	ROWL	
+ 16373	LT	35X12.50R18		128	S	12	80	3,970	-	10.0	8.5-11.0	12.5	34.5	16.0	BSW	
+ 16374	LT	35X12.50R20		125	S	12	80	3,640	-	10.0	8.5-11.0	12.5	34.5	16.0	BSW	

Technical data can be changed without further notice.
For more detailed OE application information, please refer to "Original Equipment 2022" page.
+ Different sidewall

ROADIAN MTX**MUD TERRAIN**

The Roadian MTX features an aggressive design that is extremely versatile for on- and off-road driving. Each tire boasts a dual sidewall design that allows you to customize the look of the tire on your vehicle. The Roadian MTX also features a standard 3-ply design and F-Load weight rating that makes it extremely capable for heavy hauling. With such rugged traits, you wouldn't expect the Roadian MTX to be as quiet as it is on the highway, but thanks to its patented tread block design, the road noise has been minimized.

ROADIAN MTX

Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$)	Side wall
15932	LT	285/55R20		122/119	Q	10	80	3,305	3,000	9.0	8.0-10.0	11.7	32.6	19.0	BSW
15933	LT	295/55R20		123/120	Q	10	80	3,415	3,085	9.5	8.0-10.0	12.2	33.0	20.0	BSW
15931	LT	295/60R20		126/123	Q	10	80	3,750	3,415	8.5	8.0-10.0	11.8	34.2	20.0	BSW
15930	LT	295/65R20		129/126	Q	10	80	4,080	3,750	8.5	8.0-10.0	11.8	35.4	20.0	BSW
16271	LT	305/55R20		125/122	Q	12	80	3,640	3,305	9.5	8.5-11.0	12.4	33.5	20.0	BSW
15867	LT	33X12.50R15		108	Q	6	35	2,205	-	10.0	8.5-11.0	12.5	32.8	21.0	BSW
15871	LT	35X12.50R15		113	Q	6	35	2,535	-	10.0	8.5-11.0	12.5	34.8	21.0	BSW
16348	LT	37X12.50R17		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	36.8	21.0	BSW
16261	LT	33X12.50R17		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	32.8	21.0	BSW
16262	LT	35X12.50R17		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	34.8	21.0	BSW
16263	LT	33X12.50R18		122	Q	12	80	3,305	-	10.0	8.5-11.0	12.5	32.8	21.0	BSW
16264	LT	35X12.50R18		128	Q	12	80	3,970	-	10.0	8.5-11.0	12.5	34.8	21.0	BSW
16265	LT	33X12.50R20		119	Q	12	80	3,000	-	10.0	8.5-11.0	12.5	32.8	21.0	BSW
16266	LT	35X12.50R20		125	Q	12	80	3,640	-	10.0	8.5-11.0	12.5	34.8	21.0	BSW
16267	LT	37X12.50R20		128	Q	12	80	3,970	-	10.0	8.5-11.0	12.5	36.8	21.0	BSW
16401	LT	37X13.50R20		128	Q	12	80	3,970	-	11.0	8.5-11.0	13.6	36.8	21.0	BSW
16268	LT	33X12.50R22		114	Q	12	80	2,600	-	10.0	8.5-11.0	12.5	32.8	19.0	BSW
16269	LT	35X12.50R22		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	34.8	21.0	BSW
16270	LT	37X13.50R22		128	Q	12	80	3,970	-	11.0	8.5-11.0	13.6	36.8	21.0	BSW

Technical data can be changed without further notice.

DUAL SIDEWALL OPTIONS ▾**ROADIAN CT8 HL**
**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE
COMMERCIAL VAN/LT

The Roadian CT8 HL delivers heavy-duty performance for commercial vehicles, and it is the original equipment tire of Ram ProMaster.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE
TREAD WEAR
WARRANTY
N/AROAD HAZARD
WARRANTY
N/AROADSIDE
ASSISTANCE
36 MONTHS**OE FITMENT ON**

Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$)	Side wall	OE
15237		185/60R15C		94/92	T	6	54	1,477	1,389	5.5	5.5-6.0	7.4	23.7	13.0	BSW	
15419		195/75R16C		107/105	R	8	69	2,149	2,039	5.5	5.0-6.0	7.7	27.5	13.0	BSW	
15386		225/75R16C		121/120	R	10	83	3,195	3,085	6.0	6.0-7.0	8.8	29.3	15.0	BSW	Ram
15241		235/65R16C		121/119	R	10	83	3,197	2,998	7.0	6.5-7.5	9.4	28.0	13.0	BSW	
15409	LT	215/85R16		115/112	R	10	80	2,680	2,470	6.0	5.5-7.0	8.5	30.4	15.0	BSW	
13427	LT	225/75R16		115/112	R	10	80	2,680	2,470	6.0	6.0-7.0	8.8	29.3	15.0	BSW	Ram
15410	LT	235/85R16		120/116	R	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	15.0	BSW	
15411	LT	245/75R16		120/116	S	10	80	3,042	2,778	7.0	6.5-7.5	9.8	30.5	15.0	BSW	
15412	LT	265/75R16		123/120	R	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	15.0	BSW	
15413	LT	235/80R17		120/117	R	10	80	3,085	2,835	6.5	6.0-7.5	9.3	31.8	15.0	BSW	
15415	LT	245/75R17		121/118	S	10	80	3,195	2,910	7.0	6.5-7.5	9.8	31.5	15.0	BSW	
15416	LT	265/70R17		121/118	R	10	80	3,195	2,910	8.0	7.0-8.5	10.7	31.7	15.0	BSW	
15418	LT	275/70R18		125/122	R	10	80	3,640	3,305	8.0	7.0-8.5	11.0	33.2	15.0	BSW	

Technical data can be changed without further notice.

For more detailed OE application information, please refer to "Original Equipment 2022" page.

PERFORMANCE RATINGS

7



7



6



7



8

THE ALL NEW

WINGUARD winSpike3**STUDDABLE WINTER**

The Winguard Winspike 3 tires are molded to allow for stud installation that provides better traction on ice and snow. It was developed for the drivers of sedans, CUVs/SUVs and light truck looking for sure-footed performance and traditional wintertime traction on dry, wet, and snow-covered roads.

**TOTAL COVERAGE WARRANTY**

NEXEN TIRE



TREAD WEAR WARRANTY

ROAD HAZARD WARRANTY
N/AROADSIDE ASSISTANCE
36 MONTHS

Code	P/LT	Size	XL	L.I.	S.S.	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth (/32")	Side wall
18398		175/70R13		82	T	4	51	1,047	-	5.0	4.5-6.0	7.0	22.7	11.0	BSW
18402		175/65R14	XL	86	T	4	50	1,168	-	5.0	5.0-6.0	7.0	23.0	11.0	BSW
18399		175/70R14		84	T	4	51	1,102	-	5.0	4.5-6.0	7.0	23.7	11.0	BSW
18410		185/60R14		82	T	4	51	1,047	-	5.5	5.0-6.5	7.4	22.8	11.0	BSW
18404		185/65R14	XL	90	T	4	50	1,323	-	5.5	5.0-6.5	7.4	23.5	11.0	BSW
18414		185/70R14	XL	92	T	4	50	1,389	-	5.5	4.5-6.0	7.4	24.3	11.0	BSW
18412		195/70R14		91	T	4	51	1,356	-	6.0	5.0-6.5	7.9	24.8	11.0	BSW
18400		175/65R15	XL	88	T	4	50	1,235	-	5.0	5.0-6.0	7.0	24.0	11.0	BSW
18401		185/55R15	XL	86	T	4	50	1,168	-	6.0	5.0-6.5	7.6	23.0	11.0	BSW
18409		185/60R15	XL	88	T	4	50	1,235	-	5.5	5.0-6.5	7.4	23.7	11.0	BSW
17630		185/65R15	XL	92	T	4	50	1,389	-	5.5	5.0-6.5	7.4	24.4	11.0	BSW
18406		195/55R15	XL	89	T	4	50	1,279	-	6.0	5.5-7.0	7.9	23.4	11.0	BSW
18397		195/60R15	XL	92	T	4	50	1,389	-	6.0	5.5-7.0	7.9	24.2	11.0	BSW
17629		195/65R15	XL	95	T	4	50	1,521	-	6.0	5.5-7.0	7.9	25.0	11.0	BSW
18411		205/65R15	XL	99	T	4	50	1,709	-	6.0	5.5-7.5	8.2	25.5	11.0	BSW
17633		205/70R15		96	T	4	51	1,565	-	6.0	5.0-7.0	8.2	26.3	11.0	BSW
18474		215/70R15		98	T	4	51	1,653	-	6.5	5.5-7.0	8.7	26.9	11.0	BSW
10896		235/75R15	XL	109	T	4	50	2,271	-	6.5	6.0-8.0	9.3	28.9	11.0	BSW
17637		195/55R16	XL	91	T	4	50	1,356	-	6.0	5.5-7.0	7.9	24.4	11.0	BSW
17628		205/55R16	XL	94	T	4	50	1,477	-	6.5	5.5-7.5	8.4	24.9	11.0	BSW
17634		205/60R16	XL	96	T	4	50	1,565	-	6.0	5.5-7.5	8.2	25.7	11.0	BSW
17631		205/65R16		95	T	4	51	1,521	-	6.0	5.5-7.5	8.2	26.5	11.0	BSW

PERFORMANCE RATINGSSNOW TRACTION
9ICE TRACTION
10DRY HANDLING
7WET HANDLING
7ROLLING RESISTANCE
6COMFORT
7**WINGUARD** winSpike3

Code	P/LT	Size	XL	L.I.	S.S.	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth (/32")	Side wall
18413		215/55R16	XL	97	T	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	11.0	BSW
17636		215/60R16	XL	99	T	4	50	1,709	-	6.5	6.0-7.5	8.7	26.1	11.0	BSW
18432		215/65R16	XL	102	T	4	50	1,874	-	6.5	6.0-7.5	8.7	27.0	11.0	BSW
11248		215/70R16		100	T	4	51	1,764	-	6.5	5.5-7.0	8.7	27.9	11.0	BSW
11116		225/60R16		98	T	4	51	1,653	-	6.5	6.0-8.0	9.0	26.6	11.0	BSW
11184		225/70R16	XL	107	T	4	50	2,149	-	6.5	6.0-7.5	9.0	28.4	11.0	BSW
10668		235/70R16		106	T	4	51	2,094	-	7.0	6.0-8.0	9.4	29.0	11.0	BSW
11245		245/70R16		107	T	4	51	2,149	-	7.0	6.5-8.0	9.8	29.5	11.0	BSW
10799		265/70R16		112	T	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	11.0	BSW
18422		205/50R17	XL	93	T	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	11.0	BSW
18423		215/45R17	XL	91	T	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	11.0	BSW
18417		215/50R17	XL	95	T	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	11.0	BSW
17632		215/55R17	XL	98	T	4	50	1,653	-	7.0	6.0-7.5	8.9	26.3	11.0	BSW
18421		215/60R17	XL	100	T	4	50	1,764	-	6.5	6.0-7.5	8.7	27.2	11.0	BSW
11013		215/65R17		99	T	4	51	1,709	-	6.5	6.0-7.5	8.7	28.0	11.0	BSW
18425		225/45R17		91	T	4	51	1,356	-	7.5	7.0-8.5	8.9	25.0	11.0	BSW
17635		225/50R17	XL	98	T	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	11.0	BSW
18420		225/55R17	XL	101	T	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	11.0	BSW
10910		225/60R17		99	T	4	51	1,709	-	6.5	6.0-8.0	9.0	27.6	11.0	BSW
10826		225/65R17		102	T	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	11.0	BSW
18424	</td														

WINGUARD winSpike3

Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(\$)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$ "")	Side wall
11233		265/60R18	XL	114	T	4	50	2,601	-	8.0	7.5-9.5	10.7	30.5	11.0	BSW
10670		275/65R18		116	T	4	51	2,756	-	8.0	7.5-9.5	11.0	32.1	11.0	BSW
10953		235/55R19	XL	105	T	4	50	2,039	-	7.5	6.5-8.5	9.6	29.2	11.0	BSW
11243		245/45R19	XL	102	T	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	11.0	BSW
11247		245/50R19	XL	105	T	4	50	2,039	-	7.5	7.0-8.5	10.0	28.7	11.0	BSW
11244		255/50R19	XL	107	T	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	11.0	BSW
11231		255/55R19	XL	111	T	4	50	2,403	-	8.0	7.0-9.0	10.4	30.0	11.0	BSW
11127		265/50R20		107	T	4	51	2,149	-	8.5	7.5-9.5	10.9	30.5	11.0	BSW
11249		275/45R20	XL	110	T	4	50	2,337	-	9.0	8.5-10.5	10.7	29.8	11.0	BSW
11234		275/50R20	XL	113	T	4	50	2,535	-	8.5	7.5-9.5	11.2	30.9	11.0	BSW
10887		275/55R20		113	T	4	51	2,535	-	8.5	7.5-9.5	11.2	31.9	11.0	BSW
10897		275/60R20		115	T	4	51	2,679	-	8.0	7.5-9.5	11.0	33.0	11.0	BSW
11235		285/50R20	XL	116	T	4	50	2,756	-	9.0	8.0-10.0	11.7	31.3	11.0	BSW
18811	LT	245/75R16		120/116	R	10	80	3,042	2,778	7.0	6.5-8.0	9.8	30.5	16.0	BSW
10904	LT	265/75R16		123/120	R	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	16.0	BSW
10921	LT	245/75R17		121/118	R	10	80	3,195	2,910	7.0	6.5-7.5	9.8	31.5	16.0	BSW
18810	LT	265/70R17		121/118	R	10	80	3,195	2,910	8.0	7.0-8.5	10.7	31.7	16.0	BSW
10955	LT	275/65R18		123/120	R	10	80	3,415	3,085	8.0	7.5-9.0	11.0	32.1	16.0	BSW
10900	LT	275/70R18		125/122	R	10	80	3,640	3,305	8.0	7.0-8.5	11.0	33.2	16.0	BSW
10987	LT	275/65R20		126/123	R	10	80	3,750	3,415	8.0	7.5-9.5	11.0	34.1	16.0	BSW

Technical data can be changed without further notice.

***Stud pin information**
 (P) Metric: T.S.M.I. #12
 (LT) Metric: T.S.M.I. #15

WINGUARD Sport 2**PERFORMANCE STUDDLESS WINTER**

The Winguard Sport 2 raises winter driving and long-mileage performance to the next level. Its high-density multi-sipe elevates grip for braking on icy and snowy roads, simultaneously increasing longevity. Snowy or dry traction and cornering are improved with the directional tread. Large, wide grooves effectively drain water for anti-hydroplaning performance.

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE

**TREAD WEAR
WARRANTY**
N/A

**ROAD HAZARD
WARRANTY**
N/A

**ROADSIDE
ASSISTANCE**
36 MONTHS



Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(\$)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$ "")	Side wall
16301		195/65R15		91	H	4	51	1,356	-	6.0	5.5-7.0	7.9	25.0	10.5	BSW
15924		235/75R15	XL	109	T	4	50	2,271	-	6.5	6.0-8.0	9.5	29.1	10.5	BSW
15921		255/70R15		108	T	4	51	2,205	-	7.5	6.5-8.5	10.2	29.1	10.5	BSW
16302		205/55R16		91	H	4	51	1,356	-	6.0	5.5-7.5	8.4	24.9	10.5	BSW
16648		215/55R16	XL	97	V	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	10.5	BSW
15914		215/65R16		98	H	4	51	1,653	-	6.5	6.0-7.5	8.7	27.0	10.5	BSW
17742		225/60R16	XL	102	V	4	50	1,874	-	6.5	6.0-8.0	9.0	26.6	10.5	BSW
15922		235/70R16		106	T	4	50	2,094	-	7.0	6.0-8.0	9.5	29.1	10.5	BSW
15916		255/65R16		109	T	4	50	2,271	-	7.5	7.0-9.0	10.2	29.1	10.5	BSW
15923		265/70R16		112	T	4	50	2,469	-	8.0	7.0-9.0	10.7	30.6	10.5	BSW
15440		205/40R17	XL	84	V	4	50	1,102	-	7.5	7.0-8.0	8.3	23.5	10.5	BSW
15447		205/45R17	XL	88	V	4	50	1,235	-	7.0	6.5-7.5	8.1	24.3	10.5	BSW
15481		205/50R17	XL	93	V	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	10.5	BSW
17739		205/55R17	XL	95	V	4	50	1,521	-	6.5	5.5-7.5	8.4	25.9	10.5	BSW
15448		215/45R17	XL	91	V	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	10.5	BSW
15482		215/50R17	XL	95	V	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	10.5	BSW
15487		215/55R17	XL	98	V	4	50	1,653	-	7.0	6.0-7.5	8.9	26.3	10.5	BSW
15903		215/60R17		96	H	4	51	1,565	-	6.5	6.0-7.5	8.7	27.2	10.5	BSW
15450		225/45R17	XL	94	V	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	10.5	BSW
15483		225/50R17	XL	98	V	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	10.5	BSW
15488		225/55R17	XL	101	V	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	10.5	BSW
15905		225/60R17	XL	103	H	4	50	1,929	-	6.5	6.0-8.0	9.0	27.6	10.5	BSW
15917		225/65R17		102	H	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	10.5	BSW

PERFORMANCE RATINGS

WINGUARD Sport2

Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(\$)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth (/32")	Side wall
15476		235/45R17	XL	97	V	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	10.5	BSW
15490		235/55R17	XL	103	V	4	50	1,929	-	7.5	6.5-8.5	9.6	27.2	10.5	BSW
15908		235/60R17	XL	106	H	4	50	2,094	-	7.0	6.5-8.5	9.4	28.1	10.5	BSW
15856		235/65R17	XL	108	V	4	50	2,205	-	7.0	6.5-8.5	9.4	29.1	10.5	BSW
15855		235/65R17	XL	108	H	4	50	2,205	-	7.0	6.5-8.5	9.5	29.1	10.5	BSW
15479		245/45R17	XL	99	V	4	50	1,709	-	8.0	7.5-9.0	9.6	25.7	10.5	BSW
15919		245/65R17		107	H	4	51	2,149	-	7.0	7.0-8.5	9.8	29.5	10.5	BSW
15909		255/60R17		106	H	4	50	2,094	-	7.5	7.0-9.0	10.2	29.1	10.5	BSW
15920		265/65R17		112	H	4	50	2,469	-	8.0	7.5-9.5	10.2	29.1	10.5	BSW
16016		215/40R18	XL	89	V	4	50	1,279	-	7.5	7.0-8.5	8.6	24.8	10.5	BSW
16649		215/45ZR18	XL	93	W	4	50	1,433	-	7.0	7.0-8.0	8.4	25.6	10.5	BSW
11536		215/55R18	XL	99	V	4	50	1,709	-	7.0	6.0-7.5	8.9	27.3	10.5	BSW
15442		225/40R18	XL	92	V	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	10.5	BSW
15475		225/45R18	XL	95	V	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	10.5	BSW
15484		225/50R18	XL	99	H	4	50	1,709	-	7.0	6.0-8.0	9.2	26.9	10.5	BSW
15901		225/55R18	XL	102	V	4	50	1,874	-	7.0	6.0-8.0	9.2	27.8	10.5	BSW
15910		225/60R18	XL	104	V	4	50	1,984	-	6.5	6.0-8.0	9.0	28.6	10.5	BSW
15443		235/40ZR18	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	10.5	BSW
15477		235/45R18	XL	98	V	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	10.5	BSW
16024		235/50R18	XL	101	V	4	50	1,819	-	7.5	6.5-8.5	9.6	27.3	10.5	BSW
15902		235/55R18	XL	104	H	4	50	1,984	-	7.5	6.5-8.5	9.6	28.1	10.5	BSW
15911		235/60R18	XL	107	H	4	50	2,149	-	7.0	6.5-8.5	9.4	29.1	10.5	BSW
15445		245/40ZR18	XL	97	W	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	10.5	BSW
15444		245/40R18	XL	97	V	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	10.5	BSW
15480		245/45R18	XL	100	V	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	10.5	BSW
15485		245/50R18	XL	104	V	4	50	1,984	-	7.5	7.0-8.5	10.0	27.7	10.5	BSW
16015		255/35R18	XL	94	V	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	10.5	BSW
15446		255/40R18	XL	99	V	4	50	1,709	-	9.0	8.5-10.0	10.2	26.0	10.5	BSW
15854		255/55R18	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	29.0	10.5	BSW
15913		255/60R18	XL	112	H	4	50	2,469	-	7.5	7.0-9.0	10.2	30.0	10.5	BSW
18100		265/60R18	XL	114	H	4	50	2,601	-	8.0	7.5-9.5	10.7	30.5	10.0	BSW
17730		275/40R18	XL	103	V	4	50	1,929	-	9.5	9.0-11.0	10.9	26.7	10.5	BSW
17736		275/45R18	XL	107	V	4	50	2,149	-	9.0	8.5-10.5	10.7	27.8	10.5	BSW
17738		225/40R19	XL	93	V	4	50	1,433	-	8.0	7.5-9.0	9.1	26.1	10.5	BSW
11456		225/45R19	XL	96	V	4	50	1,565	-	7.5	7.0-8.5	8.9	27.0	10.5	BSW
15438		235/35ZR19	XL	91	W	4	50	1,356	-	8.5	8.0-9.5	9.5	25.5	10.5	BSW
15478		235/45R19	XL	99	V	4	50	1,709	-	8.0	7.5-9.0	9.3	27.4	10.5	BSW
16025		235/55R19	XL	105	V	4	50	2,039	-	7.5	6.5-8.5	9.6	29.2	10.5	BSW
17588		245/35ZR19	XL	93	W	4	50	1,433	-	8.5	8.0-9.5	9.8	25.8	10.0	BSW
16018		245/40R19	XL	98	V	4	50	1,653	-	8.5	8.0-9.5	9.8	26.7	10.5	BSW
16023		245/45R19	XL	102	V	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	10.5	BSW
15439		255/35R19	XL	96	V	4	50	1,565	-	9.0	8.5-10.0	10.2	26.0	10.5	BSW
16019		255/40R19	XL	100	V	4	50	1,764	-	9.0	8.5-10.0	10.2	27.0	10.5	BSW
17735		255/45R19	XL	104	V	4	50	1,984	-	8.5	8.0-9.5	10.0	28.1	10.5	BSW
15900		255/50R19	XL	107	V	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	10.5	BSW
17592		265/35ZR19	XL	98	W	4	50	1,653	-	9.5	9.0-10.5	10.7	26.3	10.0	BSW

WINGUARD Sport2

Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(\$)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth (/32")	Side wall
16650		275/35ZR19	XL	100	W	4	50	1,764	-	9.5	9.0-11.0	10.9	26.6	10.5	BSW
16020		275/40R19	XL	105	V	4	50	2,039	-	9.5	9.0-11.0	10.9	27.7	10.5	BSW
18067		245/40ZR20	XL	99	W	4	50	1,709	-	8.5	8.0-9.5	9.8	27.7	10.5	BSW
17737		245/45R20	XL	103	V	4	50	1							

WINGUARD ice Plus**STUDLESS NORDIC WINTER**

The Winguard Ice Plus has a dual V-shape that enhances grip and braking. There are four grooves and two small semi-grooves that drain snow, slush, and water. The Winguard Ice Plus' shoulder stiffness enhances durability, and its 3D block prevents abnormal wear.


**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE

	TREAD WEAR WARRANTY	N/A
	ROAD HAZARD WARRANTY	N/A
	ROADSIDE ASSISTANCE	36 MONTHS

Code	P/ LT	Size	XL	L.I.	S.S.	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$ "")	Side wall
16149		175/70R13	82	T	4	51	1,047	-	5.0	4.5-6.0	7.0	22.7	11.0	BSW	
16145		175/65R14	XL	86	T	4	50	1,168	-	5.0	5.0-6.0	7.0	23.0	11.0	BSW
16150		175/70R14	XL	88	T	4	50	1,235	-	5.0	4.5-6.0	7.0	23.7	11.0	BSW
16138		185/60R14	XL	86	T	4	50	1,168	-	5.5	5.0-6.5	7.4	22.8	11.0	BSW
16146		185/65R14	XL	90	T	4	50	1,323	-	5.5	5.0-6.5	7.4	23.5	11.0	BSW
16151		185/70R14	XL	92	T	4	50	1,389	-	5.5	4.5-6.0	7.4	24.3	11.0	BSW
16152		195/70R14		91	T	4	51	1,356	-	6.0	5.0-6.5	7.9	24.8	11.0	BSW
16130		185/55R15	XL	86	T	4	50	1,168	-	6.0	5.0-6.5	7.6	23.0	11.0	BSW
16139		185/60R15	XL	88	T	4	50	1,235	-	5.5	5.0-6.5	7.4	23.7	11.0	BSW
16147		185/65R15	XL	92	T	4	50	1,389	-	5.5	5.0-6.5	7.4	24.4	11.0	BSW
16126		195/50R15		82	T	4	51	1,047	-	6.0	5.5-7.0	7.9	22.7	11.0	BSW
16131		195/55R15	XL	89	T	4	50	1,279	-	6.0	5.5-7.0	7.9	23.4	11.0	BSW
16140		195/60R15	XL	92	T	4	50	1,389	-	6.0	5.5-7.0	7.9	24.2	11.0	BSW
16027		195/65R15	XL	95	T	4	50	1,521	-	6.0	5.5-7.0	7.9	25.0	11.0	BSW
16148		205/65R15	XL	99	T	4	50	1,709	-	6.0	5.5-7.5	8.2	25.5	11.0	BSW
16153		205/70R15	XL	100	T	4	50	1,764	-	6.0	5.5-7.0	8.2	26.3	11.0	BSW
16132		195/55R16	XL	91	T	4	50	1,356	-	6.0	5.5-7.0	7.9	24.4	11.0	BSW
16028		205/55R16		91	T	4	51	1,356	-	6.5	5.5-7.5	8.4	24.9	11.0	BSW
16141		205/60R16	XL	96	T	4	50	1,565	-	6.0	5.5-7.5	8.2	25.7	11.0	BSW
16133		215/55R16	XL	97	T	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	11.0	BSW
16142		215/60R16	XL	99	T	4	50	1,709	-	6.5	6.0-7.5	8.7	26.1	11.0	BSW
16135		225/55R16	XL	99	T	4	50	1,709	-	7.0	6.0-8.0	9.2	25.7	11.0	BSW
16144		235/60R16	XL	104	T	4	50	1,984	-	7.0	6.5-8.5	9.4	27.1	11.0	BSW
16127		205/50R17	XL	93	T	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	11.0	BSW

PERFORMANCE RATINGS**WINGUARD ice Plus**

Code	P/ LT	Size	XL	L.I.	S.S.	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$ "")	Side wall
16119		215/45R17	XL	91	T	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	11.0	BSW
16128		215/50R17	XL	95	T	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	11.0	BSW
16134		215/55R17	XL	98	T	4	50	1,653	-	7.0	6.0-7.5	8.9	26.3	11.0	BSW
16143		215/60R17		96	T	4	51	1,565	-	6.5	6.0-7.5	8.7	27.2	11.0	BSW
16120		225/45R17	XL	94	T	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	11.0	BSW
16129		225/50R17	XL	98	T	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	11.0	BSW
16136		225/55R17	XL	101	T	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	11.0	BSW
16122		235/45R17	XL	97	T	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	11.0	BSW
16137		235/55R17		99	T	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	11.0	BSW
16123		245/45R17	XL	99	T	4	50	1,709	-	8.0	7.5-9.0	9.6	25.7	11.0	BSW
16116		225/40R18	XL	92	T	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	11.0	BSW
16121		225/45R18	XL	95	T	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	11.0	BSW
16117		235/40R18	XL	95	T	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	11.0	BSW
18548		235/45R18	XL	98	T	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	11.0	BSW
18539		235/50R18		97	T	4	51	1,609	-	7.5	6.5-8.5	9.6	27.3	11.0	BSW
16118		245/40R18	XL	97	T	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	11.0	BSW
16124		245/45R18	XL	100	T	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	11.0	BSW
16125		245/45R19	XL	102	T	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	11.0	BSW

Technical data can be changed without further notice.

WINGUARD WT1

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE

STUDLESS WINTER FOR COMMERCIAL VAN

The Winguard WT1 is Light Truck Studless Ice & Snow winter tire developed for the drivers of commercial delivery van vehicles looking for enhanced grip in slush, snow and on ice. Designed with a focus on snow and ice traction as well as dry & wet handling performance.



**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE

TREAD WEAR WARRANTY
N/AROAD HAZARD WARRANTY
N/AROADSIDE ASSISTANCE
36 MONTHS

Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$)	Side wall
13949		205/65R15C		102/100	R	6	54	1,874	1,764	6.0	5.5-6.5	8.2	25.5	12.5	BSW
17218		195/75R16C		107/105	R	8	69	2,149	2,039	5.5	5.0-6.0	7.7	27.5	13.0	BSW
17220		225/75R16C		121/120	R	10	83	3,195	3,085	6.0	6.0-7.0	8.8	29.3	13.0	BSW
17215		235/65R16C		121/119	R	10	83	3,197	2,998	7.0	6.5-7.5	9.4	28.0	12.5	BSW

Technical data can be changed without further notice.

EURO WIN**STUDLESS WINTER FOR COMMERCIAL VAN**

The EuroWin is Nexen's Light Truck/SUV Studless Ice & Snow tire developed for the Nissan NV200 and Chevy City Express to transport heavy loads.



**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE

TREAD WEAR WARRANTY
N/AROAD HAZARD WARRANTY
N/AROADSIDE ASSISTANCE
36 MONTHS

Code	P/ LT	Size	XL	L.I	S.S	PLY	Max. Air	Max. Load(S)	Max. Load(D)	Measuring Rims	Approved Rims	Section Width	Overall Diameter	Tread Depth ($\frac{1}{32}$)	Side wall
10873		185/60R15C		94/92	T	6	54	1,477	1,389	5.5	5.5-6.0	7.4	23.7	10.5	BSW

Technical data can be changed without further notice.



OFFICIAL SPONSOR SINCE 2017



OFFICIAL SPONSOR SINCE 2021

PERFORMANCE RATINGSSNOW
TRACTION
9ICE
TRACTION
10DRY
HANDLING
7WET
HANDLING
7ROLLING
RESISTANCE
6COMFORT
7**PERFORMANCE RATINGS**SNOW
TRACTION
8ICE
TRACTION
8DRY
HANDLING
6WET
HANDLING
6ROLLING
RESISTANCE
6COMFORT
8

Tread Patterns for OE Fitment



Original Equipment 2022

Vehicle Information		Model Year	Product	Code	Size	LI/SS	
	200	2015-2017	CP671	12909	215/55R17	94 H	
				12910	235/45R18	94 H	
				16312	235/40R19	96 H	
	Pacifica	2017-2022	N'PRIZ RH7@	14376	235/60R18	103 H	
	Challenger RT Scat Pack 1320	2020-2022	N'FERA SUR4G	17387	275/40R20	102 Y	
	Journey	2019-2020	N'PRIZ RH7	16489	225/65R17	102 H	
			N'PRIZ RH7	16490	225/55R19	99 H	
	Durango	2019-2022		*16469	P 245/65R18	110 H	
	500L	2014-2020	CP671	12525	205/55R16	91 H	
	500X	2014-2019	CP671	12526	225/45R17	91 V	
				13536	215/55R17	94 V	
				13535	215/60R17	96 T	
	2013-2016	CP671 H	12540 P	205/55R16	89 H		
	2017-2020	N'PRIZ AH8	14386	195/65R15	91 T		
	2012-2017		14194	205/55R16	91 H		
	2017-2021	N'PRIZ AH8	14198	225/45R17	91 W		
	2018-2022	N'PRIZ AH8	15605	205/60R16	92 H		
			15606	215/55R17	94 V		
	2022	N'PRIZ S	17068	215/55R17	94 V		
	Kona EV	2019-2022	N'PRIZ AH8	16383	215/55R17	94 V	
	Tucson	2022	Roadian GTX	16581	235/65R17	104 H	
	2012-2017	CP671 H	12842 P	215/45R17	87 H		
	2018-2021	N'PRIZ AH8	14749	215/45R17	87 H		
			14708	225/40R18	88 W		
	Venue	2020-2022	N'PRIZ AH8	16094	205/55R17	91 H	
	Grand Cherokee	2019-2022	N'PRIZ RH7@	*16469 P	245/65R18	110 H	
	Wagoneer	2022	ROADIAN HTX RH5	15278	275/55R20	113 T	
	Carnival	2013-2015	CP662	12261	225/45R18	95 V	
	Forte	2014-2016	CP671	12841 P	195/65R15	89 T	
	2017-2020	N'PRIZ AH8	14194	205/55R16	91 H		
	2014-2018	CP671 H	12842 P	215/45R17	87 H		
		CP671	16960 P	225/40R18	88 V		
	2011-2014	CP671	11449 P	205/65R16	94 H		
	2016-2020	N'PRIZ AH8	13904	205/65R16	95 H		
	2011-2015	CP671	12259 P	215/55R17	93 V		
	2013-2015	CP662	12261	225/45R18	95 V		

Original Equipment 2022

NEXEN TOTAL COVERAGE WARRANTY

Vehicle Information		Model Year	Product	Code	Size	LI/SS	
	Sorento	2015-2020	N'PRIZ RH7	13423	235/60R18	103 H	
	Sorento HEV	2022	Radian GTX	16581	235/65R17	104 H	
	Soul	2014-2018	CP671	13333	205/60R16	92 H	
			CP671 H	13320	215/55R17	94 V	
	Soul EV	2019-2021	N'PRIZ AH8	15605	205/60R16	92 H	
				15606	215/55R17	94 V	
	Sportage	2014-2018	CP671 H	13321	235/45R18	94 V	
		2015-2020	N'BLUE EV	15705	205/60R16	92 H	
	Sportage	2019-2021	N'PRIZ AH8	15606	215/55R17	94 V	
		2017-2018	N'PRIZ RH7	14179	225/55R18	98 H	
		2023	Radian GTX	16581	235/65R17	104 H	
		RVR	N'PRIZ RH7	12817	P	225/55R18	
		Outlander	Radian GTX	16640	P	255/45R20	
	GLE/GLS/GLC	2019-2022	402	* 16014	T	155/80R19	
	1500	2018-2022	ROADIAN HTX RH5	15278		275/55R20	
		2014-2022		13353	LT	235/80R17	
	3500	2014-2022	ROADIAN AT PRO RA8	13354	LT	235/80R17	
		2017-2022		14760	LT	275/70R18	
	ProMaster	2015-2022	ROADIAN CT8 HL	13427	LT	225/75R16	
		2017-2022		15386		225/75R16C	
	ProMaster City	2017-2022	N'PRIZ AH8	14369		215/55R16	
		2018-2021	N'PRIZ AH8	15530		205/55R17	
		2022	N'FERA AU7	16643		205/60R16	
	Jetta	Passat		16694		205/55R17	
	2020-2021			16314		215/60R16	
	Panamera	2021-2022	N'FERA Sport	16313		215/60R17	
	Macan	2019-2022		16391		265/45R19	
				16392		295/40R19	
			N'FERA RU1	15697		235/55R19	
				15698		255/50R19	
						103 Y	

Technical data can be changed without further notice.
* Spare Tire

1. ABOUT NEXEN TOTAL COVERAGE WARRANTY

This limited warranty only applies to the original purchaser of new replacement tires sold by NEXEN TIRE CANADA (as below NEXEN TIRE), and tires must have been used on the same vehicle that they were originally installed on.

This warranty applies to tires purchased after January 1, 2022. Tires purchased before January 1, 2022 are subject to the previous published warranty.

The NEXEN Total Coverage Warranty offers the consumer the following benefits:

- Coverage for Defects in Workmanship and Materials
- Mileage Tread Wear Limited Warranty*
- Road Hazard Replacement Program*
- Roadside Assistance - Flat Tire Change or Tow Service

*Most, but not all, NEXEN TIRE patterns come with a Mileage Tread Wear Warranty and/or Road Hazard Replacement. Check each pattern for coverage.

For purposes of this warranty, the term "usable tread life" will be determined as having at least 2/32" (1.6mm) of tread remaining evenly across the tire. If less than 2/32" (1.6mm) of tread remains at any point on the face of the tire, the tire will be considered past its usable tread life and subject to any and all conditions stated below.

2. WORKMANSHIP AND MATERIALS

All NEXEN tires are warranted against defects in workmanship and material and will be replaced 100% free of charge for the initial warranty period, which is the first 2/32" (1.6mm) of original usable tread life, or within 12 months from the period of purchase, whichever comes first.

After the 100% replacement term expires and the tire is still within 72 months from date of manufacture, the amount of credit will be determined by the percentage of original tread depth remaining on the tire. Under all circumstances, the cost of mounting, balancing, and any other service charges, including applicable taxes, are required to be paid by the consumer.

3. MILEAGE TREAD WEAR LIMITED WARRANTY

Designated patterns manufactured by NEXEN TIRE are assigned a mileage warranty that protects the consumer against premature tread wear. If a tire reaches the end of its "usable tread life" before the stated mileage warranty, the consumer will be issued a replacement NEXEN tire on a pro-rated basis, which means the consumer will be responsible for a percentage of the replacement cost. In order to maintain the tread wear warranty, all tires must be rotated at least every 8,000-10,000 km. Under all circumstances, the cost of mounting, balancing, and any other service charges, including applicable taxes, are required to be paid by the consumer.

4. WHAT IS NOT COVERED UNDER THIS LIMITED WARRANTY

This warranty does not cover tires damaged due to misuse, abuse, or accident such as:

- Ride complaints after the first 2/32" of tread wear or replacement of three (3) or more tires from the same vehicle will not be accepted.
- Road hazard damage such as cuts, snags, punctures or tire repair, bruises, impact breaks, etc. (Check Road Hazard Replacement Program for patterns that are covered against this type of damage.)
- Premature or irregular wear (a measured tread difference of 2/32" [1.6mm] or more across the tread on the same tire) due to vehicle mechanical deficiencies or failure to rotate the tires at recommended intervals.
- Tires on any vehicle registered and normally operated outside the CANADA.
- Damage from incorrect mounting or dismounting of the tire, incorrect application, water or other material trapped inside the tire during mounting, or failure to balance the tires.
- Damage from over/under inflation, overload, or defective vehicle mechanical conditions.
- Tires with a lower load index and/or speed rating than that of the OE tire.
- Racing, off-road use, and misapplication of tire to vehicle.
- Ozone or weather cracking on tires after 48 months from the date of manufacture.
- Minor cosmetic ozone or weather cracking.
- Any tires worn beyond the wear indicators (Less than 2/32" remaining tread depth).
- Flat spotting caused by improper storage or brake lock.
- Accident, fire, chemical corrosion, tire alteration, willful abuse, or vandalism.
- Tires in which D.O.T. identification number and/or barcode on bead and/or brand name removed intentionally.
- Loss of time or use, inconvenience, or any incidental or consequential damage.
- Original equipment tires on new vehicle. (See separate warranty, if applicable, in your vehicle's glove box.)
- Tires purchased as used.
- Tires that have been recapped, retreaded, or regrooved.
- Use of tire chains.
- Tires used on recreational vehicles (for camping and motor homes, etc.) or in commercial service (i.e., tires used for taxi service, delivery, ride-sharing vehicles, etc.).
- Tires stored improperly.

NEXEN TOTAL COVERAGE WARRANTY

5. OTHER LIMITATIONS INCLUDE, BUT ARE NOT LIMITED, TO THE FOLLOWING:

- Failure to rotate tires as recommended voids the tread wear warranty.
- If tires are different sizes on front and rear of vehicle and therefore can't be rotated, the mileage warranty for the rear tires will be half of the stated mileage warranty.
- Winter tires must be used only in winter months, which are determined to be September 1st through April 30th of the following year. Documentation is required showing date of installation and removal to maintain tread wear warranty.

6. ROAD HAZARD REPLACEMENT PROGRAM

Most patterns sold by NEXEN TIRE are covered by a road hazard warranty that protects the consumer against non-repairable damage caused by puncture, snag, cut, bruise, or impact break. Typical road hazards are nails, glass, potholes, and other debris. Covered tires will be eligible for a free replacement for the first 3/32" of original tread depth, or for a period of two years from the date of purchase, whichever comes first. If the D.O.T. identification number on the tire is greater than two years from the adjustment date, an invoice showing date of purchase is necessary. The cost of mounting, balancing, and any other service charges, including applicable taxes, are required to be paid by the consumer.

7. WHAT IS NOT COVERED UNDER ROAD HAZARD REPLACEMENT PROGRAM

- A tire that is damaged due to vandalism.
- A tire that is damaged due to an accident.
- A tire that is repairable under Rubber Manufacturers Association (RMA) standards.
- A tire that has failed due to commercial use.
- A tire that is damaged or failed due to racing or off-road use.
- A tire that is damaged due to use of snow chains or studs.
- A tire that is damaged or failed due to irregular wear caused by mechanical issues.
- Original equipment tires on new vehicle.
- Tires transferred from the vehicle that they were originally installed on.

8. CONSUMER'S OBLIGATION WHEN FILING CLAIM

To maintain Mileage Tread Wear Warranty and Road Hazard Replacement Program, the consumer is responsible for the following:

- Any claims must be presented to a participating authorized NEXEN TIRE dealer.
- Submit or present a copy of the original purchase receipt with documented automobile mileage at time of tire installation and of tire dismounting.

- Submit a tire rotation record showing that all tires have been rotated at least every 8,000–10,000 km. Tire rotation record is not necessary for road hazard claims when tire is within 2/32" difference of remaining tread depth as measured from shoulder to shoulder on the claim tire and compared to the remaining tread depth of the opposite front/rear or left/right tire.
- NEXEN TIRE Claim Adjustment forms are provided by the dealer. Keep a copy for your records and leave the tire with the dealer for warranty processing.

9. TIRES PURCHASED FROM UNAUTHORIZED DEALERS

IT IS IMPORTANT TO PURCHASE OUR TIRES FROM AUTHORIZED DEALERS ONLY.

Tires imported by NEXEN TIRE CANADA INC. are suitable for the CANADA conditions whereas tires not imported by NEXEN TIRE CANADA INC. may meet an alternative specification that is less suitable for the CANADA conditions. In addition, unauthorized importers or dealers may provide tires that are several months or years older by the time they arrived in the CANADA, or they may have been stored in improper or unfavorable conditions.

Taking them into consideration, in order to provide the best quality of our tires and services, we need to ensure that tires are purchased from an authorized dealer and imported by NEXEN TIRE CANADA INC. Tires purchased from an unauthorized dealer or not imported by NEXEN TIRE CANADA INC. ARE NOT COVERED by this warranty. If a tire purchased from an unauthorized dealer or not imported by NEXEN TIRE CANADA INC. fails or is defective, all claims relating to that tire should be directed to the dealer or importer and not to NEXEN TIRE CANADA INC.

Please note that sellers on Amazon.com, eBay.com, Craigslist, or similar online markets are not authorized dealers of NEXEN branded tires. When purchasing on these online markets, it is fully your responsibility as a customer to ensure that sellers are authorized by NEXEN TIRE CANADA INC.

If you are concerned about whether sellers are authorized by us, please contact us at 1-800-57-NEXEN (63936), and we can verify whether the seller is authorized or tires are imported by NEXEN TIRE CANADA INC.

10. ROADSIDE ASSISTANCE

All patterns sold after January 1, 2022, by NEXEN TIRE in the United States and Canada are eligible for free 24//365 Roadside Assistance for a period of 36 months from the purchase date. Upon purchasing NEXEN tires, the consumer will have access to a toll-free phone number to call in case of a flat tire. A qualified professional will change your flat tire with your spare tire free of charge. If a working spare is not available, towing will be provided free of charge to the nearest NEXEN TIRE dealer or safe and secure location. Activation is required before Roadside Assistance service can be utilized.

NEXEN TIRE reserves the right to change the terms and conditions of all warranties at any time.

NEXEN TOTAL COVERAGE WARRANTY

Warranty Information by Pattern (for Replacement Tires Only)

Tire Pattern	Treadwear Mileage Warranty (Km)	Road Hazard Replacement Warranty (First 3/32" or 2 Years)	36 Months Roadside Assistance Program
Aria AH7	125,000	YES	YES
N'Fera Supreme	115,000 (H&V) 90,000 (W)	YES YES	YES
Roadian GTX	115,000	YES	YES
N'Priz AH8	115,000	YES	YES
CP672	100,000	YES	YES
N'Priz AH5	80,000	YES	YES
N'Fera AU7	80,000	YES	YES
N'Fera AU5	80,000	YES	YES
N'Fera RU5	80,000	YES	YES
Roadian HTX 2	115,000 (P) 80,000 (LT)	YES YES	YES
Roadian HTX 2 (LT225/75R16, 235/65R16C)	N/A	N/A	YES
Roadian ATX	105,000 (P) 95,000 (LT)	YES YES	YES
Roadian HTX	100,000 (P) 80,000 (LT)	YES YES	YES
Roadian AT Pro	80,000 (P) 60,000 (LT)	YES YES	YES
Roadian HP	65,000	YES	YES
N'Blue 4 Season	60,000	YES	YES
N'Fera SU1	40,000	YES	YES
N'Fera SUR4G	N/A	N/A	YES
Roadian MTX	N/A	N/A	YES
Roadian CT8 HL	N/A	N/A	YES
Winguard Sport 2	N/A	N/A	YES
Winguard Ice Plus	N/A	N/A	YES
Winguard Ice SUV	N/A	N/A	YES
Winguard Winspike 3	N/A	N/A	YES
Winguard Winspike WH62	N/A	N/A	YES
Winguard Winspike WS62	N/A	N/A	YES
Winguard WT1	N/A	N/A	YES
EuroWin	N/A	N/A	YES

11. TIRE CARE AND MAINTENANCE GUIDE

Tire failure can result in serious damage and/or personal injury. To reduce the risk of tire failure, we recommend the following:

- Maintain proper inflation pressure, and do not use at under-inflation or over-inflation. Pressure should be set at the level recommended by vehicle manufacturer.
- Wheel alignment and balancing should be checked at regular intervals.
- Do not overload. The maximum load-carrying capacity is molded on the sidewall of the tire.
- Do not spin your tires excessively, and avoid driving over curbs, potholes, obstacles, and edges of pavement.
- Never drive on smooth (bald) tires. By law, tires must be replaced when 2/32" of tread depth remains, as indicated by tread wear indicator molded in the tread grooves.
- Check your tires frequently for any scrapes, cuts, foreign objects, separations, or bulges. If damage is found, do not attempt to dismount the tire yourself. Change damaged tire with the spare, and contact your local authorized NEXEN TIRE dealer immediately.
- Do not drive in excess of speed limits allowed by law or the maximum speed justified by driving conditions.
- To achieve proper even wear and gain maximum tread life, tire rotation at regular intervals is required.

Please be advised that the extreme ultra high performance tire, N'Fera SUR4G, although approved for street use, is targeted for track and competition driving.

- Driving on wet roads, heavy rain, or standing water with competition-oriented tires may cause hydroplaning and loss of control. Use extreme caution and drive slowly on wet roads.
- Competition-oriented tires should not be driven on snow or ice-covered roads. At temperatures below 4°C, tires may experience reduced traction. It is recommended that suitable all season or winter tires be installed at temperatures below 4°C.
- When exposed to temperatures below -10°C, tires may exhibit surface cracking. Never use tires that have cracked. Surface cracking due to cold temperatures is not a warrantable condition.
- Always store competition-oriented tires indoors at temperatures above -10°C. If tires have been subjected to temperatures below -10°C, they must be warmed to at least 10°C for 24 hours before using or installing. If using unheated storage, tires should be removed from the vehicle and deflated to half the normal air pressure. Before use, tires must be inspected for signs of cracking and returned to normal air pressure.

For more information or service regarding NEXEN TIRE, please contact your nearest authorized NEXEN TIRE dealer.

For more information, please call the toll-free technical support number: 1-800-57-NEXEN (63936) / 1-866-70-NEXEN (63936)

NOTES:

